State-of-the-art home appliances from Siemens

Built-in appliances product catalogue

www.siemens-home.com/in

Siemens Household Appliances reserves the right to change specifications without notice, in the interest of technological progress.

While every effort has been made to ensure that all specifications and descriptions are correct at the time of going to press this brochure should not be regarded as an infallible guide nor as an offer of sale for a particular product. Due to variables in the reproduction process, colours of actual products may vary slightly from those depicted. We recommend a visit to a Siemens dealer to confirm that specifications and colours are to your satisfaction.

All rights reserved. No part of this publication may be reproduced in any form by any means without the prior written permission of BSH Household Appliances Manufacturing Pvt. Ltd. (EOE)

Valid from May, 2014.

Siemens Home Appliances

BSH Household Appliances Manufacturing Pvt. Ltd.
Arena House, II Floor, Main Building,
Plot No. 103, Road No.12,
MIDC, Andheri, Mumbai 400093
INDIA

BSH Group is a Trademark Licensee of Siemens AG.

Progress in the service of mankind

Werner von Siemens (1816–1892)



This was the vision that Werner von Siemens created for his company and it's an ethos that has kept Siemens at the cutting edge of innovation for more than 160 years.

Responsible, excellent, innovative – Siemens values have been the basis for success over the last 15 decades.

Today, Siemens is a leading global technology powerhouse and one of the largest electrical and electronics engineering companies in the world.

The company designs and manufactures products and services for both industrial customers and consumers in the following verticals:

Energy Sector - suppliers of products, services and solutions for power generation.

Industry Sector - suppliers of innovative and eco-friendly products and solutions for industrial customers.

Healthcare Sector - providers to the healthcare industry and a leader in imaging systems, laboratory diagnostics, healthcare IT, and hearing aids.

Infrastructure & Cities Sector - providers of sustainable technologies for metropolitan centres and urban infrastructures.

History of Siemens Home Appliances - 1847 onward.

It sounded like a flight of fancy when Werner von Siemens followed up his invention of the dynamo machine with the prediction that electricity would soon make its way into the average household. Today, more than 160 years later, Siemens continues to be the leading innovator of home appliances and is ranked as Europe's no.1 built-in appliance brand.



Why Siemens?

Europe's No.1 built-in appliance brand

Our values have shaped the brand and for many years. Siemens has been the undisputed leader in the home appliance market in its home country Germany and across Europe. Renowned for its high performance and cutting edge technologies, Siemens continuously sets new standards for home appliances.

Innovative leadership

Faithfully adhering to its founder's vision, Siemens is recognized for its role as a technological leader. The brand sets new standards on a regular basis with countless innovations and solutions that ease and relieve people of their domestic tasks and helps them to live healthier and better lives. Siemens' vast number of annual patent applications is a testament to this fact.

Design excellence

At Siemens, we try to create a product that emphasizes the value of the technology through its visual aesthetics. With its timeless, modern design language, clear structures, basic geometrical shapes, Siemens has continued to remain at the forefront of design and has received recognition from many major international design awards like red dot or iF design awards.

Leadership in energy efficiency and sustainability

At Siemens, we have always considered environment protection as extremely essential. That is why, all our appliances are among the most energy and water-efficient in the industry. And though they consume lesser energy, Siemens home appliances offer more and more features that improve people's lives

Innovation & quality

Drawing from over 160 years of manufacturing experience Siemens has become synonymous with German ingenuity and high-performance products. We are recognized for our role as a technological leader. We continue to set new standards with countless innovations. At Siemens, we provide solutions that ease and relieve people of their domestic tasks. We help people live healthier and better lives. Every innovation is carefully researched and developed to meet the reliable standards of advanced German engineering. Smallest details of every appliance that is designed and engineered in the factory is tested and perfected before sending out. That is why we claim that Siemens products are designed for life.

Multi-award winning design

The timeless design of Siemens home appliances, their clear, bold lines, the high-quality materials and the high-precision craftsmanship have been appreciated for years. The sophisticated ergonomic designs are not just easy but they also give the user an enjoyable experience. Don't just take our word for it.

The International Forum (iF) design awards are one of the most challenging design competition in the world, and the iF product design award is recognized as a label for good design. Products entered are stringently evaluated for quality of design and materials, innovation, environmental sustainability, functionality, ergonomics, safety and longevity. Siemens has won more than 50 of them.

With more than 12,000 submissions from more than 60 countries, the international 'red dot' design award is the largest and most renowned design competition in the world. Siemens has won over 40 'red dot' awards, and our latest range of built-in appliances has received the 'best of the best' award – one of the most coveted honours 'red dot' can bestow.

iF product design award 2011

reddot design award best of the best 2013

Developed in Germany

Trust in the quality of products 'Developed in Germany'. Siemens products are developed with utmost German precision in our factories by about 14,000 employees.

Made in Germany

Love cooking.
Care for the environment.

Energy efficient induction hobs.

25% energy saving + 40% faster cooking = 100% satisfaction.

Apart from being one of the quickest and safest methods of cooking available, induction cooking is also one of the most efficient. Cooking on an induction hob is 40% faster and a whole 25% more energy efficient.

Energy efficient hoods.

More light. More saving.

Most of our extractor hoods feature safe and efficient energy saving LED lights. They offer excellent illumination of the hob space underneath. With the longest expected lifetime of 40,000 hours, and power consumption of a mere 3W the LED lamps provides a pleasant and bright illumination above your hob while saving energy at the same time.

Energy efficient ovens.

Now you can bake your cake and eat it too, with joy.

With an objective to make baking a truly enjoyable experience we have made sure our ovens are energy efficient. In fact, all Siemens single ovens achieve a European Class A rating for energy efficiency.

98% of all components in a Siemens built-in kitchen appliance are recyclable.

Comparison of energy consumption and heating up times when heating 2 litres of water from 15°C to 90°C.



LED light saving benefits.



Constantly improving efficiency

90% of the environmental impact of an appliance occurs during the use phase, which is why our most important contribution towards protecting the environment is to develop products that conserve as less energy as possible. A comparison of energy consumption between a 1993 oven and the latest model shows a reduction of a third.



A perfect balance between eye-catching design and innovative technology.

Owning a Siemens built-in appliance brings confidence and style to your life at home

Stylish hoods

Siemens hoods standout from similar products in the market with their sleek style, high efficiency and quiet operation. The technology built into Siemens hoods eliminates grease, steam and odours, effortlessly and quietly from your cooking space. Beautifully designed, the hood's feature control options coordinate with stylish Siemens hobs that makes your kitchen look stylish.



Impressive hobs

Siemens hobs are designed to impress. The stylish design with outstanding functionality makes it a definite benefit in your kitchen. All Siemens gas hobs feature a flame failure safety device, which cuts-off the supply of gas to the individual burner should the flame accidentally go out.

The freshness zone

The fridge freezer combination from Siemens makes daily shopping redundant, as fruits and vegetables remain fresh three times longer.

The efficient dishwasher

Siemens dishwashers save time and energy with complete flexibility to load your soiled pots and pans along with fragile glasses. A perfect dishwashing solution for mixed loads.

Intelligent oven

Siemens ovens represent perfection, designed to give free rein to the imagination of any cook. The new TFT display enhances visibility by separating the elements and highlighting white for display and blue for control. Siemens ovens boast different levels of main cooking functions and wide choice of heating methods, thus providing ideal cooking options for all types of food.

Table of Contents

Hobs
Page 14-47

Hoods
Page 48-79

Ovens and Microwave Ovens
Page 80-93

Combination Oven & Warming Drawer
Page 94-105

Coffee Centre
Page 106-110

Refrigerators and Wine Coolers
Page 116-159

Dishwashers
Page 160-175

Laundry
Page 176-193

Hobs

Introducing the Siemens hob range, where eye catching design & razor sharp looks go hand-in-hand with innovative technology and ergonomic design. Whether you choose the cutting-edge innovation of flexInduction cooking, or a more traditional gas hob with a contemporary twist, all of our hobs are designed to co-ordinate beautifully with your other range appliances.

Gas hobs from Siemens

Our gas hobs offer a range of carefully designed configurations and many are equipped with the latest in high-speed wok burner technology. Our top-of-the-range models feature beautiful and durable black ceramic glass hob bases, with cast iron pan supports that provide both a strong contemporary look and a stable base for any size of pan. Available in various sizes, they are designed to co-ordinate with other appliances in the kitchen, and can be combined seamlessly with domino and ceramic hobs. Low profile single piece burners inset in glass complete the sleek appearance. So whether your preference is for classic high quality stainless steel, or for a fashionably modern “gas on glass” model, the Siemens gas hob range has a hob for you.



With our gas hobs, you’re really cooking.

Design

- More space between the hobs is designed to suit cooking in big pots.
- The knobs are crafted for comfortable handling.
- Wok burners are placed in comfortable position for easy access.
- Simple designed pan supports for easy cleaning.

Control dial ignition

All Siemens gas hob burners can be ignited with one hand via the control dials. Simply push and turn, wait for a few seconds, then release – no separate ignition buttons necessary.

Flame failure device

For complete peace of mind, all Siemens gas hobs feature a Flame Failure Device, which cuts-off the supply of gas to the individual burner should the flame be somehow accidentally extinguished. This ensures that no gas leakage can happen – for all Siemens gas hobs and for each burner.

Wok burners

Siemens gas hobs now feature wok burners delivering 3.3kW up to 6kW of power depending on the model – meeting the increasing demand for high speed cooking. But it is not just about power; they can be turned down to just 0.3kW – perfect for simmering or melting chocolate. For the ultimate in flexibility, our 6.0kW and 5.0kW burners are dual control – the inner and outer flame rings can be adjusted independently via a single control.

Strong pan supports

The cast iron pan supports give a contemporary look and a sturdy and stable base for any size of pan. For easier cleaning, some models are even featured with dishwasher safe pan supports.

Gas Hob | 90cm

ER926SB70E
90cm Ceramic Gas Hob

Design:
- 5 burners
- High flame wok burner on left side
- Front mounted control knobs

Features:
- Wok burner on left: 6.0 kW
- Standard burner at centre: 1.9 kW
- Economy burner at centre: 1.1 kW
- High-speed burner at right side: 2.8 kW
- Standard burner at front right side: 1.9 kW
- Single handed auto ignition
- Dishwasher safe cast iron pan supports
- Flame failure safety device

Dimensions:
- Appliance dimensions (HxWxD): 5.7cm x 91.2cm x 52cm
- Cutout dimensions (HxWxD): 4.5cm x 85cm x 49cm
- Connecting cable: 150cm
- Total connected gas load: 13.7 kW

Integrated accessories:
- 1 x Wok ring

Optional accessories:
- HZ298114 - Small pot support

Gas Hob | 90cm

EC945TB91E
90cm Stainless Steel Gas Hob

Design:
- 6 burners
- 2 high flame wok burners on either sides in front
- Front mounted control knobs
- Glass inlay control panel

Features:
- Wok burner at front left side: 3.3 kW
- Economy burner at rear left side: 1 kW
- Economy burner at centre: 1 kW
- Standard burner at centre rear: 1.7 kW
- Standard burner at rear right side: 1.7 kW
- Wok burner at front right side: 3.3 kW
- Single handed auto ignition
- Cast iron pan supports
- Flame failure safety device

Dimensions:
- Appliance dimensions (HxWxD): 5.3cm x 91.5cm x 52cm
- Cutout dimensions (HxWxD): 4.5cm x 85cm x 49cm - 50cm
- Connecting cable: 150cm
- Total connected gas load: 12 kW

Optional accessories:
- HZ298108 - Wok ring
- HZ298114 - Small pot support

Gas Hob | 90cm

EC945RB91E
90cm Stainless Steel Gas Hob

Design:
- 5 burners
- High flame wok burner at centre
- Front mounted control knobs
- Glass inlay control panel

Features:
- High-speed burner at front left side: 3 kW
- Economy burner at rear left side: 1 kW
- Wok burner at centre: 5kW
- Standard burner at rear right side: 1.7 kW
- Standard burner at front right side: 1.7 kW
- Single handed auto ignition
- Cast iron pan supports
- Flame failure safety device

Dimensions:
- Appliance dimensions (HxWxD): 5.3cm x 91.5cm x 52cm
- Cutout dimensions (HxWxD): 4.5cm x 85cm x 49cm - 50cm
- Connecting cable: 150cm
- Total connected gas load: 12.4 kW

Optional accessories:
- HZ298107 - Wok ring
- HZ298114 - Small pot support

Gas Hob | 70cm

EP718QB21E
70cm Glass Gas Hob



Design:
- 5 burners
- High flame wok burner at centre
- Front mounted control knobs
- Exclusive design in tempered glass with metallic finish

Features:
- Economy burner at front left side : 1 kW
- Standard burner at rear left side : 1.7 kW
- Wok burner at centre : 4 kW
- High-speed burner at rear right side : 3 kW
- Standard burner at front right side: 1.7 kW
- Single handed auto ignition
- Cast iron single pan supports
- Flame failure safety device

Dimensions:
- Appliance Dimensions (HxWxD): 5.8cm x 71cm x 52cm
- Cutout Dimensions (H x W x D): 4.5cm x 56cm x 48cm - 49cm
- Connecting cable: 100cm
- Total connected gas load: 11.4 kW

Optional accessories:
- HZ298107 - Wok ring

Gas Hob | 60cm

EP618HB21E
60cm Glass Gas Hob



Design:
- 4 burners
- High flame wok burner at rear
- Front mounted control knobs
- Exclusive design in tempered glass with metallic finish

Features:
- Standard burner at front left side : 1.7 kW
- Standard burner at rear left side : 1.7 kW
- Wok burner at rear right side : 3.3 kW
- Economy burner at front right side: 1 kW
- Single handed auto ignition
- Cast iron single pan supports
- Flame failure safety device

Dimensions:
- Appliance Dimensions (HxWxD): 5.8cm x 59cm x 52cm
- Cutout Dimensions (H x W x D): 4.5cm x 56cm x 48cm - 49cm
- Connecting cable: 100 cm
- Total connected gas load: 7.7 kW

Optional accessories:
- HZ298108 - Wok ring
- HZ298114 - Small pot support

Gas Hob | 75cm

EC845IB90E
75cm Stainless Steel Gas Hob

Design:
- 4 burners
- High flame wok burner on left side
- Front mounted control knobs
- Glass inlay control panel

Features:
- Wok burner on left: 4 kW
- Economy burner at centre front: 1 kW
- Standard burner at centre rear: 1.7 kW
- High-speed burner at right: 3 kW
- Single handed auto ignition
- Cast iron pan supports
- Flame failure safety device

Dimensions:
- Appliance dimensions (HxWxD): 5.2cm x 76.2cm x 52cm
- Cutout dimensions (HxWxD): 4.5cm x 56cm x 48cm - 49cm
- Connecting cable: 100cm
- Total connected gas load: 9.7 kW

Optional accessories:
- HZ298107 - Wok ring
- Hz298114 - Small pot support

Gas Hob | 60cm

EO616HB2TI
60cm Glass Gas Hob

Design:
- 4 burners
- High flame wok burner at front
- Side mounted control knobs

Features:
- Wok burner at front left side: 4 kW
- Standard burner at rear left side: 1.7 kW
- Standard burner at rear right side: 1.7 kW
- Economy burner at front right side: 1 kW
- Single handed auto ignition
- Cast iron single pan supports
- Flame failure safety device

Dimensions:
- Appliance Dimensions (HxWxD): 5.6cm x 59cm x 52cm
- Cutout dimensions (HxWxD): 4.5cm x 56cm x 48cm - 49cm
- Connecting cable: 100cm
- Total connected gas load: 8.4 kW

Integrated accessories:
- 1 x Wok ring

Induction cooking – the cool heat.

Induction is recognised as being one of the quickest, safest and most efficient methods of cooking available. As soon as the pot is placed and the hob is switched on, the hob gets heated within a few seconds. While the base of the pan is heated; the cooking zone stays cool.

Why not experience the benefits of induction cooking for yourself?

Easier to clean, and safer to use

The ceramic glass is warmed only by the heat transferred back from the cookware and its contents. Due to this spillages are less likely to burn on, and there is normally no need to wait for the glass to cool down before simply wiping it over with a cloth. And if you turn on an induction hob without having a pot or pan on it, there is zero risk of burning yourself because the hob itself doesn't heat up at all.

Power management function

A qualified installer will customize the total power output of a Siemens induction hob from a minimum of 1000W in steps of 500W to suit the individual installation requirements or restrictions. This feature helps in saving electricity and ensures right amount of power is used by each cooking zone for a variety of dishes.

PowerBoost function

PowerBoost function increases the power output of the selected zone by approximately 50% by 'borrowing' power from its partner cooking zone.

Automatic pan recognition*

With our intelligent pan recognition feature ensures that the hob is operational only when a pan or pot is placed and is recognized depending on the size.

Childproof lock function

In case you have a child around the hob or have some urgent work to attend to, lock the controls by simply activating the the Childproof lock function button on the control panel. The lock is easily re-activated by simply repeating the process. Its now easy to prevent inadvertent operations.

Automatic time limitation

This feature helps save energy, when the hob remains in use for a long time and no changes are made in the settings, the automatic time limitation function is triggered. The hob stops heating on its own and display will flash **F** and **8** alternately. The indicator goes out when any indicator is pressed and hob will be reset.

Innovative touchSlider*

Unique to Siemens, glide your finger gently over the control panel to select the appropriate power level. This sophisticated pressure technology never fails to deliver even when your hands are too hot, too cold or when caked with ingredients.

Wipe protection function*

Cleaning the control panel while the hob is on, may change the settings. In order to avoid this, the hob has a wipe protection function. By pressing this, the control panel is locked for 35 seconds and the surface of the control panel can now be cleaned without risk of changing the settings.

*Available in select models only.

quickStart function*

This intelligent inductor sensor technology equipped in the selected few induction hobs which enable immediate start of the cooking session via main switch. The cooking zone is immediately detected and the display is switched on when the pot is placed over a particular cooking zone. All you have to select is the desired power level.

Cooking Timer with Automatic switch off

Most of Siemens hobs are equipped with a timer used in dual ways. It can be set as an alarm which will sound at the end of the set cooking time or can be set to automatically switch off the cooking zone based on the timing set.

reStart function*

While doing heavy cooking there are chances of liquid spillage over the main switch or the control panel due to which the hob can accidentally switch off. This function should be used up to 4 sec after the hob has been switched off to recall the previous settings. This will help to clean the hob conveniently during the pause and you can continue cooking after the cleaning.

Residual heat indicators

The hob has a residual heat indicator for each cooking zone to show those which are still hot. Avoid touching them when the indicator is lit. The indicator shows “H” when the zones are above 95°C and “h” when above 65°C.

Ceramic hob – beautiful and practical.

Our hob adds beauty to your kitchen with their slim 4mm profile and tough, stain and scratch resistant, wipe-clean surfaces. It's easy to see why our smooth, high gloss finish ceramic hob is the perfect choice for many people as it has similar design and safety features as an Induction hob.

Energy consumption display

The intelligent display will show how much energy is consumed during one cooking process. This helps to develop the energy efficient cooking behaviour. The energy consumption is calculated in ceramic hob per cooking session from switch on to switch off mode. The energy consumption is displayed for 10 sec when the hob is switched off. Pre setting is required for this function during the installation.

*Available in select models only.

Welcome to the future: Induction Hobs.

Siemens flexInduction can not only accommodate pans of any size but also pans placed anywhere on the surface at the same time. Siemens flexInduction hobs can behave as traditional induction hobs with four separate zones, but choose to link the zones together to form one or more rectangular surface (38x20cm), and the real magic begins. The innovative Siemens flexInduction gives full flexibility to be used for pots and pans for any size - as single surface for big pots or for various small ones placed anywhere on the surface at the same time. Experience full flexibility and convenience while enjoying all the advantages of induction. And of course flexInduction has all the advantages of induction cooking, including boost settings, pan recognition and a power output of up to 3.6 kW.

Liberate your pans from restrictive cook zones, with flexInduction.

Effective automatic pan recognition

Place a pan anywhere on the extended cooking surface and the Siemens flexInduction hob with automatic pan recognition technology will react to it – right up to the edges.

More reliable small object detection

Zero risk of burning yourself as the hob doesn't heat up at all without any utensil on it. As each of the unique inductors work independently, the hob is extremely good at recognizing what is – and what isn't – a pan. So if you have placed a spoon on the hob, it will not be activated even while the pans on the surface continue to be heated normally.

Better energy efficiency

Now you can save energy by reducing wastage because only areas of the flexInduction cook surface that are in contact with the cookware are active at any particular time.

Better heat distribution

Give your dishes a beautiful and even cooking with the innovative elongated shaped induction coils. Even heat distribution ensures that there are no 'cool spots' where the pan is not over an induction coil.

The easy to use discControl system

The new Siemens discControl system lets you control cooktops just like your MP3 player - with a slight finger touch to rotate a Disc to the desired setting. The magnetic discs provide an easy access to each cookzone, even giving a haptic feedback for each setting made with the rotation. This innovative control concept comes with four round black discs, inserted into a wide, silver metal strip on the front of the hob and controls individual cooking zones. Easy to clean and also childproof - simply remove the disc and keep it out of reach of your children.

Induction Hob | 80cm

EH885DC11E
80cm Induction Hob

Design:
- 4 cooking zones
- Black glass induction hob with stainless steel frame
- Warming zone at centre
- One automatic extendable zone for roasters
- discControl

Features:
- Standard zone at front left: 1.8 kW
- Roaster zone at rear left: 1.8 kW, 2 kW
- Warming zone at centre: 0.09 kW
- Standard zone at rear right: 1.4 kW
- Standard zone at front right: 2.2 kW
- 17 power levels
- Ring zone roaster for flexible cooking
- Cooking timer for all cooking zones except warming zone
- Two stage residual heat indicator for each zone
- PowerBoost function for all cooking zones
- Wipe protection function
- Automatic pan recognition
- Automatic time limitation
- Childproof lock function
- Automatic safety switch off

Dimensions:
- Appliance dimensions (HxWxD): 5.1cm x 80cm x 55cm
- Cutout dimensions (HxWxD): 5.1cm x 75cm -78cm x 50cm
- Connecting cable: 110cm
- Total connected load: 7.29 kW



Induction Hob | 80cm

EH875SC11E
80cm Induction Hob



Design:
- 4 cooking zones
- Black glass induction hob with stainless steel frame
- Warming zone at centre for roasters
- One automatic extendable zone for roasters
- touchSlider

Features:
- Standard zone at front left: 1.8 kW
- Roaster zone at rear left: 1.8 kW, 2 kW
- Warming zone at centre: 0.09 kW
- Standard zone at rear right: 1.4 kW
- Standard zone at front right: 2.2 kW
- 17 power levels
- Ring zone roaster for flexible cooking
- Cooking timer for all cooking zones except warming zone
- Two stage residual heat indicator for each zone
- PowerBoost function for all cooking zones
- Wipe protection function
- Automatic pan recognition
- Automatic time limitation
- Childproof lock function
- Automatic safety switch off

Dimensions:
- Appliance dimensions (HxWxD): 5.7cm x 81.2cm x 52cm
- Cutout dimensions (HxWxD): 5.1cm x 78cm -75cm x 50cm - 49cm
- Connecting cable: 110cm
- Total connected load: 7.29 kW

Induction Hob | 60cm

EH651BN17E
60cm FlexInduction Hob

Design:
- U - Facette design black glass induction hob
- flexInduction zone: extended cooking surface for multiple pots and pans of any size
- Easy touchControl

Features:
- flexInduction vector zone on left: 3.3 kW
- Standard zone at rear right: 1.4 kW
- Standard zone at front right: 2.2 kW
- 17 power levels
- quickStart function
- reStart function
- Cooking timer with switch-off function for all zones
- Two stage residual heat indicator for each zone
- PowerBoost function for all cooking zones
- Automatic pan recognition
- Automatic time limitation
- Childproof lock function
- Automatic safety switch off

Dimensions:
- Appliance dimensions (HxWxD): 5.7cm x 59.2cm x 52.2cm
- Cutout dimensions (HxWxD): 5.1cm x 56cm x 49cm - 50cm
- Connecting cable: 110cm
- Total connected load: 7.2 kW



Induction Hob | 60cm

EH645BB17
60cm Induction Hob

Design:
- 4 cooking zones
- Black glass induction hob with stainless steel frame
- One automatic extendable zone
- Glass hob with stainless steel frame
- Easy touchControl

Features:
- Standard zone at front left: 1.8 kW
- Roaster zone at rear left: 1.8 kW, 2 kW
- Standard zone at rear right: 1.4 kW
- Standard zone at front right: 2.2 kW
- 17 power levels
- quickStart function
- reStart function
- Ring zone roaster for flexible cooking
- Two stage residual heat indicator for each zone
- PowerBoost function for all cooking zones
- Automatic pan recognition
- Automatic time limitation
- Childproof lock function
- Automatic safety switch off

Dimensions:
- Appliance dimensions (HxWxD): 5.7cm x 58.3cm x 51.3cm
- Cutout dimensions (HxWxD): 5.4cm x 56cm x 49cm – 50cm
- Connecting cable: 110cm
- Total connected load: 7.2 kW



Ceramic Hob | 60cm

ET645FF17E
60cm Ceramic Hob

Design:
- 4 cooking zones
- Black glass induction hob with stainless steel frame
- Dual circuit cooking zone
- Glass hob with stainless steel frame
- touchSlider

Features:
- Standard zone at front left: 1.2 kW
- Standard zone at rear left: 2 kW
- Standard zone at rear right: 1.2 kW
- Dual cooking zone at front right: 0.9 kW, 2.2 kW
- 17 power levels
- reStart function
- Electronic boil start control
- Energy consumption display
- Two stage residual heat indicator for each zone
- PowerBoost function for all cooking zones
- Wipe protection function
- Automatic time limitation
- Childproof lock function
- Automatic safety switch off

Dimensions:
- Appliance dimensions (HxWxD): 5.2cm x 58.3cm x 51.3cm
- Cutout dimensions (HxWxD): 4.9cm x 56cm x 49cm – 50cm
- Connecting cable: 100cm
- Total connected load: 6.6 kW

Domino hobs: Cooking pleasure tailored for you.

Our modular domino hobs can be mixed and matched seamlessly with other 30cm dominos and full size hobs ranging from 40 – 90cm to create a cook top perfectly tailored to your needs. For example, you could mix ceramic induction cooking zones with a gas wok burner. You could even include a Teppan Yaki domino hob – perfect for low fat stir fry vegetables cooking.

Domino Teppan Yaki | 40cm

ET475MY11E
40cm Teppan Yaki

Design:
- Stainless steel cooking zone
- touchSlider
- Black ceramic cover for covering while not being used

Features:
- 2 cooking zones (half or full)
- Thermostat setting: 160° - 240°C
- Keep warm function (at 70°C)
- Zone extension sensor
- Cooking timer setting up to 99 mins
- Two stage residual heat indicator
- Heat up indicator
- Automatic time limitation
- Automatic safety switch off

Dimensions:
- Appliance dimensions (HxWxD): 8.9cm x 39.2cm x 52cm
- Cutout dimensions (HxWxD): 8.3cm x 36cm x 49cm - 50cm
- Connecting cable: 100cm
- Total connected load: 1.9 kW

Integrated accessories:
- 2 x Spatula

Optional accessories:
- HZ394301 - Connecting strip

Domino Deep Fryer | 30cm

ET375GA11E
30cm Deep Fryer

Design:
- Stainless steel frying zone
- Knob control
- Black ceramic cover for covering while not being used

Features:
- Basin capacity: max 4 litres
- Frying basket with hanger
- Cold oil zone
- Thermostat setting: 100° - 190°C
- Oil drainage outlet
- Heat up indicator
- Automatic safety switch off

Dimensions:
- Appliance dimensions (HxWxD): 37.3cm x 30.2cm x 52cm
- Cutout dimensions (HxWxD): 36.7cm x 27cm x 49cm - 50cm
- Connecting cable: 100cm
- Total connected load: 2.5 kW

Integrated accessories:
- Deep frying basket

Optional accessories:
- HZ394301 - Connecting strip

Barbecue Grill | 30cm

ET375GU11E
30cm Barbecue Grill

Design:
- Stainless steel design
- Cast iron grill
- Knob control
- Black ceramic cover for covering while not being used

Features:
- Basin capacity: 2.5 litres
- 9 power levels
- Removable cast iron grill for easy cleaning
- To be used with water or lava stones
- Oil drainage outlet
- Heat up indicator
- Automatic safety switch off

Dimensions:
- Appliance dimensions (HxWxD): 24.2cm x 30.2cm x 52cm
- Cutout dimensions (HxWxD): 23.6cm x 27cm x 49cm - 50cm
- Connecting cable: 100cm
- Total connected load: 2.4 kW

Integrated accessories:
- Lava stones

Optional accessories:
- HZ394301 - Connecting strip
- HZ398300 - Lava stones, 3 kg

Domino FlexInduction | 30cm

EH375MV17E
30cm FlexInduction

Design:
- Front facette design with stainless steel frame
- FlexInduction zone: extended cooking surface for multiple pots and pans of any size
- touchSlider

Features:
- Cooking zone power: 3.3 kW
- 9 Power levels
- Cooking timer with switch-off function for all zones
- Two stage residual heat indicator for each zone
- PowerBoost function for all cooking zones
- Automatic pan recognition
- Automatic time limitation
- Automatic safety switch off

Dimensions:
- Appliance dimensions (HxWxD): 5.9cm x 30.2cm x 52cm
- Cutout Dimensions (HxWxD): 5.3cm x 27cm x 49cm - 50cm
- Connecting cable: 110cm
- Total connected load: 3.6 kW

Optional accessories:
- HZ394301 - Connecting strip

Domino Induction Hob | 30cm

EH375ME11E
30cm Induction Hob

Design:
- 2 cooking zones
- Front facette design with stainless steel frame
- touchSlider

Features:
- Standard zone at front: 2.2 kW
- Standard zone at rear: 1.4 kW
- 17 power levels
- Cooking timer with switch-off function for each zone
- Two stage residual heat indicator for each zone
- PowerBoost function for all cooking zones
- Automatic pan recognition
- Automatic time limitation
- Automatic safety switch off

Dimensions:
- Appliance dimensions (HxWxD): 5.9cm x 30.2cm x 52cm
- Cutout dimensions (HxWxD): 5.3cm x 27cm x 49cm – 50cm
- Connecting cable: 110cm
- Total connected load: 3.6 kW

Optional accessories:
- HZ394301 - Connecting strip

Domino Ceramic Hob | 30cm

ET375MF11E
30cm Ceramic Hob

Design:
- 2 cooking zones
- Front facette design with stainless steel frame
- Dual circuit cooking zone at front
- touchSlider

Features:
- Dual circuit zone at front: 0.8 kW, 2 kW
- Standard zone at rear: 1.2 kW
- 17 power levels
- Cooking timer with switch-off function for each zone
- Two stage residual heat indicator for each zone
- Automatic safety switch off

Dimensions:
- Appliance Dimensions (HxWxD): 4.4cm x 30.2cm x 52cm
- Cutout Dimensions (HxWxD): 3.8cm x 27cm x 49cm - 50cm
- Connecting cable:100 cm
- Total connected load: 3.2 kW

Optional accessories:
- HZ394301 - Connecting strip

Domino Gas Hob | 30cm

ER326AB70E
30cm Gas Hob

Design:
- 1 wok burner
- Front facette design with stainless steel frame
- Front mounted control knob

Features:
- Wok burner: 6 kW
- Single handed auto ignition
- Dishwasher proof cast iron pan supports
- Flame failure safety device

Dimensions:
- Appliance dimensions (HxWxD): 5.7cm x 30.2cm x 52cm
- Cutout dimensions (HxWxD): 4.5cm x 27cm x 49cm - 50cm
- Connecting cable: 100cm
- Total connected load: 6 kW

Integrated accessories:
- Wok ring

Optional accessories:
- HZ394301 - Connecting strip

Domino Gas Hob | 30cm

ER326BB70E
30cm Gas Hob

Design:
- 2 burners
- Front facette design with stainless steel frame
- Front mounted control knobs

Features:
- Standard burner at front: 1.9 kW
- Standard burner at rear: 2.8 kW
- Single handed auto ignition
- Dishwasher safe cast iron pan supports
- Flame failure safety device

Dimensions:
- Appliance dimensions (HxWxD): 5.2cm x 30.2cm x 52cm
- Cutout dimensions (HxWxD): 4.5cm x 27cm x 49cm - 50cm
- Connecting cable: 100cm
- Total connected load: 4.7 kW

Optional accessories:
- HZ394301 - Connecting strip

Hoods

Our hoods have all the style you would expect from a Siemens appliance, but it is their sheer effectiveness at dealing with unwanted moisture and cooking odours that really sets them apart from the crowd. And as well as with the filtering systems of peerless quality, they are equipped with a variety of ingenious and easily operated functions, all carried out with the minimum of noise. The collection includes superb stainless steel and glass wall mounted designs, spectacular island chimneys and modest telescopic pullout hoods.

Introducing new range of Siemens hoods: Efficient, quiet and robust

iQdrive motor*

Most of our hoods are fitted with the efficient and extremely quiet iQdrive motors which save up to 80% energy even while working at the highest suction level. The iQdrive motor is fitted with extremely powerful permanent magnets. These magnets are built into an inwardly smooth casing with optimal aerodynamic behavior of housing and blower wheel. This makes the Siemens hood quiet during extraction operation and high airflow.

softLight LED illumination lighting*

With the longest expected lifetime of 40,000 hours, and power consumption of a mere 3W, the LED lamps provides a pleasant and bright illumination above your hob while saving energy at the same time. The softLight dimmer function allows a gentle fading in and out of the lighting avoiding any unexpected initiation of sudden luminance. The atmospheric lighting provides for a very comfortable kitchen ambience.

More & higher intensive levels*

The Siemens hood allows you to appropriately regulate the extraction power according to the cooking intensity thus ensuring that energy is saved and noise levels are low. You can choose between 1 to 3 normal levels depending on the model and type of cooking you are doing. There are 2 more intensive levels for heavy cooking and frying.

Filter saturation indicator*

This feature makes sure that the hood continues to operate at full capacity by reminding you to regularly clean the filters. The display promptly indicates when the grease filters or the activated carbon filter are saturated and needs your attention.

Cascade filter*

With the new cascade filter, grease reduction reaches up to 95% for wall mounted design and up to 99% for island chimney hoods. As there are 2 filters in the hood, an extra-large filter surface is achieved. The vapors drawn in are pre-filtered before being filtered a second time via the main filter. These filters are dishwasher safe and can be cleaned manually as well.

Automatic climateControl – Sensor

When using the automatic function, a sensor measures the density of vapours and adapts the power level automatically. But also the manual control is designed in an intuitive way. Here, you can increase the power with the boost function.

*Available in select models only.

Beautiful and top-quality: The workmanship

Siemens hoods are characterized by their classy stainless steel look with a modern design. Their workmanship with seamless edges is extremely high in quality and are an eye-catcher in every kitchen.

User friendly with button lighting: The electronic control

The control via display is easy as well as intuitive. With the button lighting you can always see which function is currently activated. The digital display shows you the selected power level.

Classy and straight forward: The push buttons

The premium looking, easy-to-use push buttons facilitate selecting the power levels of your hood – easily and comfortably.



Low-fat recipe for your kitchen: The patented rim ventilation filter

The innovative and easy-to-clean rim extraction absorbs more than 90% of the grease in the vapours – which is a lot more than other hoods do. Also, its modern design with stainless steel surface makes it something special.



Energy saving LED lights

The durable and energy saving LED lights illuminate your hob completely from top, offering you a better overview when cooking.



No greasy surfaces anymore: The stainless steel mesh filter

The mesh filter prevents surfaces from getting greasy and provides clean air in your kitchen. Its high quality appearance emphasizes the appliance's clear design. The filters are easy to remove and clean – even in a dishwasher.

How to choose a hood.

With an open-plan living becoming more of the norm, a quiet and efficient extractor is necessary to deal with the strong cooking odours as well as the grease-laden air that can otherwise linger throughout the house. As far as style and design is concerned, with the Siemens range of cooker hoods, you'll be spoilt for choice. But there are also two vital technical points to consider while choosing a hood. The first is whether you want the hood to be ducted or Re-circulated and the second is its real suction power which depends on your kitchen space and cooking habits. Here are some helpful pointers.



Ducting operational mode

Ducting is appropriate for kitchens which are smaller or average size. For optimum performance, your extractor hood should be ducted outside the house using ducting with as large a diameter as possible. The larger the size of the duct, the greater the volume of air that can be extracted from the kitchen and the quieter the hood will be. Use of ducting with a lesser diameter should be avoided if possible. Ducting lengths should be as short and as direct as possible to ensure that the air is extracted to outside as quickly as possible. Bends should be kept to a minimum and the ducting itself should be as smooth as possible to ensure smooth, unobstructed airflow.



Re-circulated operational mode

Sometimes, ducting mode is simply not practical or possible. Especially in very large kitchens, where the duct outlet position would require a duct length beyond recommendations, in this case a re-circulation mode shall be chosen (an additional carbon odour filter re-circulated kit is required to do this - please check individual product specifications for details of suitable accessories). In re-circulated mode, the extracted air is passed through the metal filter to remove grease and then through a carbon filter to remove odours before being directed back into the kitchen. A regular exchange of the filter is required to ensure an effective removal of odours.



The cleanAir module: making Re-circulation mode as efficient as ducting

The innovative cleanAir module of Siemens prevents the loss of efficiency in removing odour in re-circulation mode. With the innovative and increased filter surface area, the cleanAir module can neutralize up to 95% of all odours, making it almost as effective as operating the hood in ducting mode.

However for optimum performance, your extractor hood should be ducted outside the house, so that the extracted air is vented outside. This sometimes may not be practical.

Real suction power: The power to perform

Your chosen hood must have the ideal power level to effectively remove moisture and cooking odours from your kitchen. As a rule of thumb, the hood should be able to change the air in the kitchen 10 times per hour. Here is a quick calculation you can make to check whether a hood has the right suction power fitting to your kitchen size: Firstly, calculate the volume of the kitchen (H x W x D, in metres), then multiply that figure by 10. The resulting figure is the approximate extraction rate you require.
For example: Kitchen size: 4m x 4m x 2.5m = 40m³; 10 times air changes per hour = 10 x 40m³ = 400m³/h; so the hood must achieve a minimum of 400m³/h.

Technology to improve your world, our quieter hood motors.

Our new hoods will transform your kitchen into a relaxed and quiet environment. We know that your kitchen is not only a place to cook; it is a place to entertain, relax after a hard day's work, or spend time with family or friends. This is why we have fitted all our hoods with new motors that ensure they work hard but quietly.

Eliminate grease, steam and odours **effortlessly and quietly.**

Noise level measurements you can rely on

Siemens provides data in line with international guidelines and measurements to be made in a sound insulated room of standard size, using six pre-defined microphone points allowing you to make meaningful comparisions between different models based on the two commonly used measures for noise level – sound pressure (dBA) and sound power (dB re 1pW).

Now you don't have to rely on the dBA (sound pressure) measure which is most quoted, particularly by other manufacturers, it can be highly subjective and the test guidelines are open to wide interpretation, making useful comparison practically impossible.

Automatic interval function*

Keep your kitchen fresh throughout the day. Proper air circulation is the basic requirement for a healthy indoor climate, not only during cooking.The automatic interval function assures an optimal kitchen climate 24 hours a day.

Once activated, the kitchen will automatically be ventilated at hourly intervals (5 mins.) on the lowest fan setting during 24 hours a day. On this setting, the hood will ventilate the kitchen for a few minutes every hour on the lowest fan setting. It's ideal for removing strong, lingering cooking odours like curry, fish etc.

Automatic intensive revert function

You can use the intensive setting to temporarily boost the extraction rate to cope with particularly demanding cooking conditions, for instance while stir-frying. Models that feature the automatic revert function will automatically drop back to a normal level after ten minutes at the intensive rate – so you never have to remember to switch it back yourself.

Auto Fan run-on (Delay shut-off)

The hood works for an additional ten minutes to deal with any lingering cooking odours before switching itself off. Some models have an automatic fan run-on facility.

Boost function*

While heavy frying when a large amount of steam occurs, you can select immediately the boost option. It activates the boost function which immediately switches to the maximum intensive setting. The chimney hood will run at maximum power for approx. 20 seconds after which it will automatically get back to the previous power level.

*Available in select models only.

Island Hood | 90cm

LD97AA670B
90cm Island Hood

Design:
- Telescopic Table hood
- touchControl with LED display on black glass inlay

Features:
- Suitable for ducted and re-circulated operations
- Fan speed: 3 stage + 2 intensive
- softLlight with dimmer function
- 2 x LED lights with 5W each
- Automatic fan run - on function: duration 15mins.
- Automatic intensive revert function : duration max 10mins.
- Saturation indicator for grease filter
- Saturation indicator for charcoal filter
- Rim ventilation with two aluminum cassette filters; dishwasher safe
- Maximum extraction power: 780 m³/h
- Noise level: 49 dB

Dimensions:
- Exhaust dimensions (HxWxD): 65.2cm – 105.2cm x 88cm x 35.2cm
- Re-circulating dimensions (HxWxD): 65.2cm – 105.2cm x 88cm x 35.2cm
- Diameter pipe: 15cm
- Connecting cable: 150cm
- Total Connected load: 285 W

Island

Island Hood | 120cm

LF21BA542
120cm Island Hood

Design:
- 2 color zone slim box design
- Blue indicator lights
- Soft touch button control with LED display

Features:
- Suitable for ducted or re-circulated operations
- Efficient BLDC motor technology: iQdrive
- Fan speed: 3 stage + 2 intensive
- softLight with dimmer function
- 4 x LED lights with 3W each
- Automatic fan run - on function: duration 10mins.
- Automatic Intensive revert function: duration 6mins.
- 4 x rim ventilation filters; dishwasher safe
- Cascade filter available; dishwasher safe
- Saturation indicator for grease filter
- Saturation indicator for charcoal filter
- Maximum extraction power: 1000 m³/h
- Noise level: 48 dB

Dimensions:
- Exhaust dimensions (HxWxD):
  74.4cm - 92.4cm x 120cm x 65cm
- Re-circulating dimensions (HxWxD):
  79.2cm -104.4cm x 120cm x 65cm
- Diameter pipe: 12cm / 15cm
- Connecting cable: 130cm
- Total connected load: 272 W

Optional accessories:
- LZ12385 - Chimney extention 160cm
- LZ56200 - cleanAir active carbon filter

Island Hood | 90cm

LF98GA542
90cm Island Hood

Design:
- Straight glass design
- Blue indicator lights
- Soft touch button control with LED display

Features:
- Suitable for ducted or re-circulated operations
- Efficient BLDC motor technology: iQdrive
- Fan speed: 3 stage + 2 intensive
- Back pressure flap
- softLight with dimmer function
- 4 x LED lights with 3W each
- Automatic fan run - on function: duration 10mins.
- Automatic Intensive revert function: duration 6mins.
- 1 x metal mesh grease filter; dishwasher safe
- Saturation indicator for grease filter
- Saturation indicator for charcoal filter
- Maximum extraction power: 850 m³/h
- Noise level: 44 dB

Dimensions:
- Exhaust dimensions (HxWxD):
  75.1cm - 93.1cm x 90cm x 68cm
- Re-circulating dimensions (HxWxD):
  75.1cm -105.1cm x 90cm x 68cm
- Diameter pipe: 12cm / 15cm
- Connecting cable: 130cm
- Total connected load: 172 W

Optional accessories:
- LZ56200 - cleanAir active carbon filter

Ceiling Hood | 90cm

LF959RA50
90cm Ceiling Hood

Ceiling

Design:
- Square design
- Blue indicator lights
- Soft touch button control with LED display

Features:
- Suitable for ducted or re-circulated operations
- Fan speed: 3 stage + boost function
- 8 x halogen lights with 20W each
- Automatic fan run - on function: duration 10mins.
- Automatic Intensive revert function: duration 10mins.
- Automatic interval function
- Rim ventilation with four aluminum cassette filters; dishwasher safe
- Saturation indicator for grease filter
- On/Off control: remote control + main switch
- Maximum extraction power: 800 m³/h
- Noise level: 48 dB

Dimensions:
- Appliance dimensions (HxWxD): 28cm - 46cm x 90cm x 90cm
- Cutout dimensions (HxWxD): 28cm - 46cm x 85.4cm x 85.4cm
- Diameter pipe: 15cm
- Connecting cable: 130cm
- Total connected load: 435 W

Optional accessories:
- LZ56200 - cleanAir active carbon filter

Ceiling Hood | 90cm

LF959RB50
90cm Ceiling Hood

Ceiling

Design:
- Rectangular design
- Blue indicator lights
- Soft touch button control with LED display

Features:
- Suitable for ducted or re-circulated operations
- Fan speed: 3 stage + boost function
- 4 x halogen lights with 20W each
- Automatic fan run - on function: duration 10mins.
- Automatic Intensive revert function: duration 10mins.
- Automatic interval function
- Rim ventilation for three aluminum cassette filters; dishwasher safe
- Saturation indicator for grease filter
- On/Off control: remote control + main switch
- Maximum extraction power: 800 m³/h
- Noise level: 49 dB

Dimensions:
- Appliance dimensions (HxWxD): 29.9cm x 90cm x 50cm
- Cutout dimensions (HxWxD): 29.9cm x 87cm x 47.6cm
- Diameter pipe: 15cm
- Connecting cable: 130cm
- Total connected load: 355 W

Optional accessories:
- LZ56200 - cleanAir active carbon filter

Island Hood | 90cm

LF98BE542
90cm Island Hood

Design:
- Box design
- Blue indicator lights
- Soft touch button control with LED display

Features:
- Suitable for ducted or re-circulated operations
- Efficient BLDC motor technology: iQdrive
- Fan speed: 3 stage + 2 intensive
- Back pressure flap
- 4 x LED lights with 3W each
- Automatic fan run - on function: duration 10mins.
- Automatic Intensive revert function: duration 6mins.
- Automatic interval function
- 3 x metal mesh filter; dishwasher safe
- Maximum extraction power: 870 m³/h
- Noise level: 40 dB

Dimensions:
- Exhaust dimensions (HxWxD):
  74.4cm - 92.4cm x 90cm x 60cm
- Re-circulating dimensions (HxWxD):
  79.2cm -104.4cm x 90cm x 60cm
- Diameter pipe: 12cm / 15cm
- Connecting cable: 130cm
- Total connected load: 172 W

Optional accessories:
- LZ12385 - Chimney extention 160cm
- LZ56200 - cleanAir active carbon filter

Box

Wall Mounted Hood | 120cm

LC257BB40
120cm Wall Mounted Hood

Design:
- Box design
- Blue indicator lights
- Soft touch button control with LED display

Features:
- Suitable for ducted or re-circulated operations
- Fan speed: 3 stage + boost function
- 4 x halogen lights with 20W each
- Automatic Intensive revert function: duration 10mins.
- 4 x aluminum cassette filters; dishwasher safe
- Maximum extraction power: 830 m³/h
- Noise level: 52 dB

Dimensions:
- Exhaust dimensions (HxWxD):
  65.3cm - 98.2cm x 120cm x 50cm
- Re-circulating dimensions (HxWxD):
  65.3cm - 109.7cm x 120cm x 50cm
- Diameter pipe: 12cm / 15cm
- Connecting cable: 130cm
- Total connected load: 330 W

Optional accessories:
- LZ56100 - cleanAir re-circulation kit
- LZ56200 - cleanAir active carbon filter

Box

Wall Mounted Hood | 90cm

LC91BD552
90cm Wall Mounted Hood

Design:
- 2 color zone slim box design
- Blue indicator lights
- Soft touch button control with LED display

Features:
- Suitable for ducted or re-circulated operations
- Efficient BLDC motor technology: iQdrive
- Fan speed: 3 stage + 2 intensive
- Back pressure flap
- softLight with dimmer function
- 3 x LED lights with 3W each
- Automatic climateControl-Sensor
- Automatic fan run - on function: duration 10mins.
- Automatic Intensive revert function: duration 6mins.
- 3 x rim ventilation filters; dishwasher safe
- Saturation indicator for grease filter
- Saturation indicator for charcoal filter
- Maximum extraction power: 1000 m³/h
- Noise level: 50 dB

Dimensions:
- Exhaust dimensions (HxWxD):
  62.8cm - 95.4cm x 90cm x 50cm
- Re-circulating dimensions (HxWxD):
  62.8cm - 106.4cm x 90cm x 50cm
- Diameter pipe: 12cm / 15cm
- Connecting cable: 130cm
- Total connected load: 269 W

Optional accesories:
- LZ12265 - Chimney extention 100cm
- LZ12365 - Chimney extention 150cm
- LZ56200 - cleanAir active carbon filter

Wall Mounted Hood | 90cm

LC98WA542
90cm Wall Mounted Hood

Design:
- Slim pyramid design
- Blue indicator lights
- Soft touch button control with LED display

Features:
- Suitable for ducted or re-circulated operations
- Efficient BLDC motor technology: iQdrive
- Fan speed: 3 stage + 2 intensive
- Back pressure flap
- softLlight with dimmer function
- 3 x LED lights with 3W each
- Automatic fan run - on function: duration 10mins.
- Automatic Intensive revert function: duration 6mins.
- 3 x metal mesh filters; dishwasher safe
- Saturation indicator for grease filter
- Saturation indicator for charcoal filter
- Maximum extraction power: 860 m³/h
- Noise level: 41 dB

Dimensions:
- Exhaust dimensions (HxWxD):
  67.2cm - 95.4cm x 90cm x 50cm
- Re-circulating dimensions (HxWxD):
  67.2cm - 106.4cm x 90cm x 50cm
- Diameter pipe: 12cm / 15cm
- Connecting cable: 130cm
- Total connected load: 169 W

Optional accesories:
- LZ12265 - Chimney extention 100cm
- LZ12365 - Chimney extention 150cm
- LZ56200 - cleanAir active carbon filter

Wall Mounted Hood | 90cm

LC91BB542
90cm Wall Mounted Hood

Design:
- Slim box design
- Blue indicator lights
- Soft touch button control with LED display

Features:
- Suitable for ducted or re-circulated operations
- Efficient BLDC motor technology: iQdrive
- Fan speed: 3 stage + 2 intensive
- Back pressure flap
- softLlight with dimmer function
- 3 x LED lights with 3W each
- Automatic fan run - on function: duration 10mins.
- Automatic Intensive revert function: duration 6mins.
- 3 x rim ventilation filters; dishwasher safe
- Maximum extraction power: 1000 m³/h
- Noise level: 50 dB

Dimensions:
- Exhaust dimensions (HxWxD):
  62.8cm - 95.4cm x 90cm x 50cm
- Re-circulating dimensions (HxWxD):
  62.8cm - 106.4cm x 90cm x 50cm
- Connecting cable: 130cm
- Diameter pipe: 12cm
- Total connected load: 269 W

Optional accesories:
- LZ12265 - Chimney extention 100cm
- LZ12365 - Chimney extention 150cm
- LZ56200 - cleanAir active carbon filter

Wall Mounted Hood | 90cm

LC91KA542
90cm Wall Mounted Hood

Design:
- Inclined design
- Blue indicator lights
- Soft touch button control with LED display

Features:
- Suitable for ducted or re-circulated operations
- Efficient BLDC motor technology: iQdrive
- Fan speed: 3 stage + 2 intensive
- softLlight with dimmer function
- 3 x LED lights with 3W each
- Automatic fan run - on function: duration 10mins.
- Automatic Intensive revert function: duration 6mins.
- 3 x rim ventilation filters; dishwasher safe
- Cascade filter available; dishwasher safe
- Saturation indicator for grease filter
- Saturation indicator for charcoal filter
- Maximum extraction power: 1000 m³/h
- Noise level: 48 dB

Dimensions:
- Exhaust dimensions (HxWxD):
  86.5cm - 115.3cm x 90cm x 41.7cm
- Re-circulating dimensions (HxWxD):
  86.5cm - 126.3cm x 90cm x 41.7cm
- Diameter pipe: 12cm / 15cm
- Connecting cable: 130cm
- Total connected load: 269 W

Optional accesories:
- LZ12265 - Chimney extention 100cm
- LZ12365 - Chimney extention 150cm
- LZ56200 - cleanAir active carbon filter

Wall Mounted Hood | 90cm

LC98BD542
90cm Wall Mounted Hood

Design:
- 2 color zone box design
- Blue indicator lights
- Soft touch button control with LED display

Features:
- Suitable for ducted or re-circulated operations
- Efficient BLDC motor technology: iQdrive
- Fan speed: 3 stage + 2 intensive
- softLlight with dimmer function
- 3 x LED lights with 3W each
- Automatic fan run - on function: duration 10mins.
- Automatic Intensive revert function: duration 6mins.
- 3 x metal mesh filters; dishwasher safe
- Saturation indicator for grease filter
- Saturation indicator for charcoal filter
- Maximum extraction power: 860 m³/h
- Noise level: 41 dB

Dimensions:
- Exhaust dimensions (HxWxD): 64.2cm - 95.4cm x 90cm x 50cm
- Re-circulating dimensions (HxWxD): 64.2cm - 106.4cm x 90cm x 50cm
- Diameter pipe: 12cm / 15cm
- Connecting cable: 130cm
- Total connected load: 169 W

Optional accesories:
- LZ12265 - Chimney extention 100cm
- LZ12365 - Chimney extention 150cm
- LZ56200 - cleanAir active carbon filter

Box

Wall Mounted Hood | 90cm

LC97WA532I
90cm Wall Mounted Hood

Design:
- Slim Pyramid design
- Blue indicator lights
- Soft touch button control

Features:
- Suitable for ducted or re-circulated operations
- Efficient BLDC motor technology: iQdrive
- Fan speed: 3 stage + 2 intensive
- Back pressure flap
- 3 x LED lights with 3W each
- Automatic Intensive revert function: duration 10mins.
- 3 x baffle filters; dishwasher safe
- Maximum extraction power: 740 m³/h
- Noise level: 40 dB

Dimensions:
- Exhaust dimensions (HxWxD): 67.2cm - 95.4cm x 90cm x 50cm
- Re-circulating dimensions (HxWxD): 67.2cm - 106.4cm x 90cm x 50cm
- Diameter pipe: 12cm / 15cm
- Connecting cable: 130cm
- Total connected load: 139 W

Optional accesories:
- LZ12265 - Chimney extention 100cm
- LZ12365 - Chimney extention 150cm

Slim
Pyramid

Wall Mounted Hood | 90cm

LC98BH542
90cm Wall Mounted Hood

Design:
- Box design
- Blue indicator lights
- Soft touch button control with LED display

Features:
- Suitable for ducted or re-circulated operations
- Efficient BLDC motor technology: iQdrive
- Fan speed: 3 stage + 2 intensive
- softLlight with dimmer function
- 3 x LED lights with 3W each
- Automatic fan run - on function: duration 10mins.
- Automatic Intensive revert function: duration 6mins.
- 3 x metal mesh filters; dishwasher safe
- Saturation indicator for grease filter
- Saturation indicator for charcoal filter
- Maximum extraction power: 860 m³/h
- Noise level: 41 dB

Dimensions:
- Exhaust dimensions (HxWxD): 64.2cm - 95.4cm x 90cm x 50cm
- Re-circulating dimensions (HxWxD): 64.2cm - 106.4cm x 90cm x 50cm
- Diameter pipe: 12cm / 15cm
- Connecting cable: 130cm
- Total connected load: 169 W

Optional accesories:
- LZ12265 - Chimney extention 100cm
- LZ12365 - Chimney extention 150cm
- LZ56200 - cleanAir active carbon filter

Box

Wall Mounted Hood | 90cm

LC97GC542
90cm Wall Mounted Hood

Design:
- Straight glass design
- Blue indicator lights
- Soft touch button control with LED display

Features:
- Suitable for ducted or re-circulated operations
- Efficient BLDC motor technology: iQdrive
- Fan speed: 3 stage + 2 intensive
- softLlight with dimmer function
- 2 x LED lights with 3W each
- Automatic fan run - on function: duration 10mins.
- Automatic Intensive revert function: duration 10mins.
- 2 x metal mesh filters; dishwasher safe
- Saturation indicator for grease filter
- Saturation indicator for charcoal filter
- Maximum extraction power: 700 m³/h
- Noise level: 44 dB

Dimensions:
- Exhaust dimensions (HxWxD): 63.4cm - 95.4cm x 90cm x 54cm
- Re-circulating dimensions (HxWxD): 63.4cm - 106.4cm x 90cm x 54cm
- Diameter pipe: 12cm / 15cm
- Connecting cable: 130cm
- Total connected load: 136 W

optional accessories:
- LZ56200 - cleanAir active carbon filter

Straight
Glass

Wall Mounted Hood | 90cm

LE44952IN
90cm Wall Mounted Hood

Design:
- Slim Box design
- Push button control with display

Features:
- Suitable for ducted or re-circulated operations
- Fan speed: 4 stage
- 2 x halogen lights with 20W each
- 3 x baffle filters; dishwasher safe
- Maximum extraction power: 1150 m³/h
- Noise level: 58 dB

Dimensions:
- Exhaust dimensions (HxWxD):
  66.4cm - 103.4cm x 90cm x 53cm
- Re-circulating dimensions (HxWxD):
  66.4cm – 115.4cm x 90cm x 53cm
- Diameter pipe: 18cm
- Connecting cable: 150cm
- Total connected load: 250 W

Box

Wall Mounted Hood | 90cm

LE52950IN
90cm Wall Mounted Hood

Design:
- Slim Pyramid design
- Push button control

Features:
- Suitable for ducted or re-circulated operations
- Fan speed: 4 stage
- 2 x halogen lights with 20W each
- 3 x baffle filters; dishwasher safe
- Maximum extraction power: 1150 m³/h
- Noise level: 58 dB

Dimensions:
- Exhaust dimensions (HxWxD):
  62.5cm - 98.6cm x 90cm x 53cm
- Re-circulating dimensions (HxWxD):
  62.5cm - 111.2cm x 90cm x 53cm
- Diameter pipe: 18cm / 19.5cm
- Connecting cable: 150cm
- Total connected load: 250 W

Slim
Pyramid

Wall Mounted Hood | 60cm

LC68BF542
60cm Wall Mounted Hood

Design:
- Slim box design
- Blue indicator lights
- Soft touch button control with LED display

Features:
- Suitable for ducted or re-circulated operations
- Efficient BLDC motor technology: iQdrive
- Fan speed: 3 stage + 2 intensive
- Back pressure flap
- softLlight with dimmer function
- 2 x LED lights with 3W each
- Automatic fan run - on function: duration 10mins.
- Automatic Intensive revert function: duration 6mins.
- 2 x metal mesh filters; dishwasher safe
- Saturation indicator for grease filter
- Saturation indicator for charcoal filter
- Maximum extraction power: 850 m³/h
- Noise level: 45 dB

Dimensions:
- Exhaust dimensions (HxWxD):
  62.8cm - 95.4cm x 60cm x 50cm
- Re-circulating dimensions (HxWxD):
  62.8cm -106.4cm x 60cm x 50cm
- Diameter pipe: 12cm / 15cm
- Connecting cable: 130cm
- Total connected load: 166 W

Optional accessories:
- LZ56200 - cleanAir active carbon filter

Slim
Box

Telescopic Hood | 90cm

LI48932
90cm Telescopic Hood

Design:
- Integrated cabinetry design
- Soft touch button control with display

Features:
- Suitable for ducted or re-circulated operations
- Fan speed: 3 stage + intensive
- softLight with dimmer function
- 3 x halogen lights with 20W each
- Automatic fan run - on function: duration 10mins.
- Automatic Intensive revert function: duration 10mins.
- Automatic interval function
- 2 x aluminum cassette filters; dishwasher safe
- Saturation indicator for grease filter
- Saturation indicator for charcoal filter
- On/Off control: Pull out + main switch
- Maximum extraction power: 720 m³/h
- Noise level: 47 dB

Dimensions:
- Exhaust dimensions (HxWxD):
  47.5cm x 89.7cm x 27.3cm
- Re-circulating dimensions (HxWxD):
  47.5cm x 89.7cm x 27.3cm
- Diameter pipe: 12cm / 15cm
- Connecting cable: 130cm
- Total connected load: 260 W

Optional accessories:
- LZ45501 - Active carbon filter
- LZ45500 - Re-circulating kit
- LZ49050 - Handle strip

Teloscopic Hood | 60cm

LI23031
60cm Telescopic Hood

Design:
- Integrated cabinetry design
- Rocker switch control

Features:
- Suitable for ducted or re-circulated operations
- Fan speed: 3 stage
- Back pressure flap
- 2 x halogen lights with 30W each
- 2 x aluminum cassette filters; dishwasher safe
- On/Off control: Pull out
- Maximum extraction power: 420 m³/h
- Noise level: 52 dB

Dimensions:
- Exhaust dimensions (HxWxD):
  35.4cm x 59.8cm x 28cm
- Re-circulating dimensions (HxWxD):
  35.4cm x 59.8cm x 28cm
- Diameter pipe: 12cm
- Connecting cable: 130cm
- Total connected load: 160 W

Optional accessories:
- LZ34500 - Re-circulating kit
- LZ34501 - Active carbon filter

60 cm
Width

Ovens

A complete break-through of design and technology, the built-in ovens from Siemens process a unique style like no other. Its combined use of high quality stainless steel and black glass with blue light control panel creates a range of ovens second to none.

The award-winning blue lightControl designed to impress

Siemens lightControl concept facilitates cooking instinctively. Begins at the moment you turn on the oven, its flexibility is greatly enhanced through a sequential reading direction for your control. It also eases visual by separating the display and control elements with white for display and blue for control.

Highlighted in a cool and elegant blue colour, the retractable control dial at the centre will gather the most important data at one glance. On the side, the blue push button illumination will show you the functions which are currently active.

reddot

product design award

TFT Display*

The new TFT technology offers better readability from every angle making it easy to keep track of things while you're cooking - from every corner of your kitchen.

All the information you need, is displayed in black and white. The large lettering on the alternating black and white background of the display clearly shows the current settings at a glance - along with the current time, programme status and other useful details, like the progress of the quick preheat function or the status of the child lock. The display items on a white background are the settings that you can currently change, while the black background indicates settings that are confirmed or not currently active.

lightControl*

Our logical approach ensures that you see the most information at a glance. So whether you are whipping up a quick snack or a five course dinner you can follow your intuition, and be instinctive because the user interface of our ovens has been carefully designed to enhance that natural approach. We understand, even with cutting-edge technology to assist you, cooking should always be an emotional endeavour with room for spontaneity.

softClosing Door*

The new oven door with softClosing dampens the closing so that the door closes very gently. Like this, the closing of the door is so quiet that you can continue cooking without being disturbed.

*Available in select models only.

Quality and safety go hand-in-hand

Protective interior

The roasting/ grill pan is also coated with grey enamel to maximize protection from external impact. This makes the interior hardwearing, scratch-resistant and not susceptible to chemical erosion from fruit juice, etc.

Integrated grill element

You can now have energy efficient grilling with the element which recessed into the roof to leave more room inside the oven and prevent any accidental contact with the heating element.

Ultimate interior lighting

You can clearly monitor the activity inside the oven without opening the door and losing the heat with the halogen interior light providing an extra bright and crisp light for illuminating the oven cavity.

Telescopic rails*

The effortless gliding shelves reduce your work for those heavy roasts while the telescopic rail is an ideal option if your oven has to be tucked away. The tray comes out effortlessly; this comes handy when you have heavy food items kept inside the oven.

coolDoor

For worry free baking the Siemens ovens have been designed in such a way that the outer glass door stays cool even during baking. The temperature of the door can be as low as 40℃ during cooking and does not exceed 60℃ even during the pyrolytic cleaning. This is because all ovens come with double, triple or quadruple glass doors to ensure that door surface temperature is kept as low as possible. While baking the outer glass of the oven heats up. For the safety of children, the Siemens ovens have been designed in such a way that the outer glass door stays cool.

*Available in select models only.

Cooling fan

The integral cooling fan is designed to keep the operating components cool and also helps lower the temperature on both the oven door and any adjacent furniture. The cooling fan helps in removing the hot air from inside which escapes from opening on top of the oven, so that the cooking compartment is cooled down quickly after operation. This fan works automatically based on the requirement.

Safety door lock*

The oven door will automatically lock once the temperature goes beyond 50℃ while the pyrolytic cleaning is in progress.

Automatic safety switch off*

For your peace of mind, this is an additional safety feature. If you don't change the cooking time after a specific period while cooking or baking the words “Automatic switch off” will appear in the clearText display and the oven will switch itself off. To cancel the shut-off and re-set the oven, you simply press any button.

Childproof lock

With our childproof lock you can be rest assured the safety of your children. This lock prevents children from accidently switching it on as the oven will not react to any settings. The timer and clock can also be set when the childproof lock has been activated.

ecoClean*

The self-cleaning walls of ecoClean never need to be replaced and last for a lifetime of the oven making it your best ally in the cleaning of the oven. This innovative patent by Siemens is the latest evolution of the normal catalytic walls.

activeClean*

With the Siemens automatic self-cleaning system you have time to do more pleasant things than cleaning the oven. The activeClean system carbonises all dirt in the oven at high temperatures. The brilliance of activeClean® is that you'll never have to clean your oven again. By heating the oven cavity up to 480°C, activeClean® burns away all dirt and grime - not only saving you time, but saving you money as there's no need to buy oven cleaning products again.

*Available in select models only.

Have fun cooking in your kitchen

With the many clever, innovative functions, Siemens built-in appliances make cooking much simpler and more relaxing. Siemens ovens offer a wide choice of heating methods providing ideal cooking options for all types of food.

Conventional (top and bottom heating)

Ideal for single shelf cooking and gives a crisper, drier result. Good for meat and fruit pies. Rich fruit cakes will not be peaked in the centre when using this cooking system. The oven needs to be pre-heated on this setting.

Bottom heating

Ideal for casseroles, curries and any slow cooking. Good for bain-marie cooking of crème caramels.



hydroBaking

Improve the texture and retain the qualities of cakes, breads and pastry items with the hydroBaking setting. The moisture produced by the food during cooking will remain inside the oven, giving more moist results. The oven needs to be pre-heated on this setting.

3D hot air

Especially great for baking, roasting and for larger joints this setting is also ideal for all types of foods, cooking on up to 3 levels of the same dish at the same time – ensuring each and every corner of the tray is reached with the same heat level as desired.

Hot air grilling

Ideal for crisping the crackling on chips & vegetables this cooking system is also suited for poultry and duck up to 2.5 kg/5 lb and for smaller cuts of meat (use this for the last 30 minutes of the cooking time for the perfect crispy finish).

Large area grill

The three stage variable grill gives you precision grill temperature control for a full width grill.

Small area grill

Because you only use the centre of the grill this is perfect for cooking smaller quantities.

Intensive heat

Ideal for cheesecakes, crispy cake bases and baking tins that have poor heat conduction. This function uses the heating elements from the top of the oven with the addition of a more powerful bottom heating element.

Pizza setting (Intensive hot air)

A crisp underside to pizza bases, quiches and pastry cases can be achieved by activating the intensive hot air setting. No need to pre-heat the oven while using this setting while cooking frozen food.

Slow cook

With this setting the oven will slowly cook the meat keeping it moist, juicy and tender, without overcooking. Meat is pan fried to seal in the juices and then transferred to an oven proof dish with a lid. This is then placed in the oven at a pre-defined, fixed low temperature without any additional liquid added.

Defrost

Use this setting to circulate room temprature air around while gently defrosting a delicate gateaux or large joint of meat or turkey and keeping the food away from pests.

Keep warm

Food can be kept warm in the oven on this setting until it is ready to be served.

Pre-heat (Plate warm)

As food stays warm for longer on pre-heated plates, you can warm up your plates and serving dishes with this function.

Sabbath setting*
The oven is automatically set to conventional heat at a temperature of 85℃. You can adjust the Sabbath setting duration for between 24 to 73 hours. Designed to keep pre-heated food warm.

*Selected models only

Oven | 90cm

HB933R51
90cm Single Oven

Design:
- Full metal door
- White display with blue indicator light
- Rotary control dials

Features:
- Extra large oven capacity: 77 litres
- Multifunction oven with 8 cooking functions: Hot air, Top/Bottom heating, Large area grill, Small area grill, Hot air grilling, Pizza setting, Top/Bottom heating + Hot air and Bottom heating + Hot air
- Internal metal door
- Grey enamel smooth oven interior
- Two oven interior lights on left and right side
- Integral cooling fan
- Grill element: fixed assembled
- Electronic clock timer: on, off and alarm
- Catalytic cleaning function for side panels
- Energy efficiency B
- coolDoor with double glass

Dimensions:
- Appliance dimensions (HxWxD): 48cm x 89.6cm x 56.6cm
- Cutout dimensions (HxWxD): 46.7cm x 86cm x 56cm
- Connecting cable: 115cm
- Total connected load: 3.3 kW

Integrated accessories:
- 2 x Enamel baking tray
- 2 x Combination grid

Oven | 60cm

HB73GU545
60cm Single Oven

Design:
- Full glass drop down door
- White display with blue indicator lights
- Retractable round dials

Features:
- Large oven capacity: 65 litres
- Multifunction oven with 9 cooking functions: 3D Hot Air, Hotair eco, Top/Bottom heating, Pizza Setting, Hot air grilling, Large area grill, Small area grill, Bottom heat and Defrost
- Internal glass door
- Grey enamel smooth oven interior
- Oven interior light on top
- Integral cooling fan
- Grill element: fixed assembled
- Electronic clock timer: On, Off and Alarm
- Automatic rapid heating up function
- 3-level, full extension telescopic rails
- softClosing door
- activeClean: Pyrolytic self-cleaning function
- Energy efficiency A - 30%: 30% less energy consumption than the best energy class A
- Automatic safety switch off
- Childproof lock function
- coolDoor with Quadruple glass: keeps the door cool at max. of 30°C

Dimensions:
- Appliance dimensions (HxWxD): 59.5cm x 59.5cm x 54.8cm
- Cutout dimensions (HxWxD): 57.5cm - 59.7cm x 56cm x 55cm
- Connecting cable: 120cm
- Total connected load: 3.65 kW

Integrated accessories:
- Enamel baking tray, suitable for pyrolytic cleaning
- Combination grid
- Universal pan, suitable for pyrolytic cleaning

Optional accessories:
- HZ317000 - Pizza tray
- HZ327000 - Baking stone

Oven | 60cm

HB58GB570J
60cm Single Oven

Design:
- Full glass drop down door
- TFT clear text display
- Light control: Full metal illuminated retractable round dial

Features:
- Large oven capacity: 67 litres
- 68 automatic programmes
- Multifunction oven with 13 cooking functions: Top/Bottom heating, hydroBaking, 3D Hot Air, Hotair eco, Pizza setting, Bottom heating, Hot air grilling, Large grill area, Small grill area, Defrost, Keep warm setting, Preheating and Slow cook
- Internal glass door
- Grey enamel smooth oven interior
- Two oven interior lights on top and left side
- Integral cooling fan
- Grill element: fixed assembled
- Electronic clock timer: on, off and alarm
- Automatic rapid heating up function
- Sabbath function
- softClosing door
- ecoClean function for top, back and side panels
- Energy efficiency A - 30%: 30% less energy consumption than the best energy class A
- Automatic safety switch off
- Childproof lock function
- Residual heat indicator
- coolDoor with triple glass : keeps the door cool at a max. of 40°C

Dimensions:
- Appliance dimensions (HxWxD): 59.5cm x 59.5cm x 54.8cm
- Cutout dimensions (HxWxD): 57.5cm - 59.7cm x 56cm x 55cm
- Connecting cable: 120cm
- Total connected load: 2.85 kW

Integrated accessories:
- Enamel baking tray
- Combination grid
- Universal pan

Optional accessories:
- HZ317000 - Pizza tray
- HZ327000 - Baking stone
- HZ338357 - 3 Level, full extention telescopic rails

Oven | 60cm

HB33GB550
60cm Single Oven

Design:
- Full glass drop down door
- White display with blue indicator lights
- Retractable control dials

Features:
- Large oven capacity: 67 litres
- Multifunction oven with 8 cooking functions: 3D Hot air, Top/Bottom heating, Pizza setting, Hot air grilling, Large area grill, Small area grill, Bottom heating and Defrost
- Internal glass door
- Grey enamel smooth oven interior
- Oven interior light on top
- Integral cooling fan
- Grill element: drop down grill for better cleaning
- Electronic clock timer: on, off and alarm
- Automatic rapid heating up function
- softClosing door
- ecoClean function for back panel (top and side panels available as accessory)
- Energy efficiency A - 20%: 20% less energy consumption than the best energy class A
- Childproof lock function
- coolDoor with triple glass: keeps the door cool at a max. of 40°C

Dimensions:
- Appliance dimensions (HxWxD): 59.5cm x 59.5cm x 54.8cm
- Cutout dimensions (HxWxD): 57.5cm - 59.7cm x 56cm x 55cm
- Connecting cable: 120cm
- Total connected load: 3.5 kW

Integrated accessories:
- Enamel baking tray
- Combination grid
- Universal pan

Optional accessories:
- HZ317000 - Pizza tray
- HZ327000 - Baking stone
- HZ338357 - 3 Level, full extention telescopic rails

Oven | 60cm

HB23AB523
60cm Single Oven

Design:
- Full glass drop down door
- White display with blue indicator light
- Rotary control dials

Features:
- Large oven capacity: 67 litres
- Multifunction oven with 5 cooking functions: 3D Hot air, Top/Bottom heating, Hot air grilling, Large area grill and Bottom heating
- Grey enamel smooth oven interior
- Oven interior light on back upper corner
- Integral cooling fan
- Grill element: drop down grill for better access and easy cleaning
- Electronic clock timer: on, off and alarm
- Automatic rapid heating up function
- ecoClean function for back panel
- Energy efficiency A - 20%: 20% less energy consumption than the best energy class A
- Childproof lock function
- coolDoor with triple glass: keeps the door cool at max. 40°C

Dimensions:
- Appliance dimensions (HxWxD): 59.5cm x 59.5cm x 54.8cm
- Cutout dimensions (HxWxD): 57.5cm - 59.7cm x 56cm x 55cm
- Connecting cable: 120cm
- Total connected load: 3 kW

Integrated accessories:
- Enamel baking tray
- Combination grid
- Universal pan

Optional accessories:
- HZ317000 - Pizza tray
- HZ327000 - Baking stone
- HZ338357 - 3 Level, full extention telescopic rails



Oven | 60cm

HB21AB520E*
60cm Single Oven

Design:
- Full glass drop down door
- Blue indicator light
- Rotary control dials

Features:
- Large oven capacity: 62 litres
- Multifunction oven with 7 cooking functions: Hot air, Top/Bottom heating, Hot air grilling, Large area grill, Small area grill, Bottom heating and Defrost
- Internal glass door
- Grey enamel smooth oven interior
- Oven interior light on back upper corner
- Integral cooling fan
- Grill element: drop down grill for better access and easy cleaning
- Mechanical timer: alarm
- ecoClean function for back panel
- Energy efficiency A - 20%: 20% less energy consumption than the best energy class A
- Childproof lock function
- coolDoor with triple glass: keeps the door cool at max. 40°C

Dimensions:
- Appliance dimensions (HxWxD): 59.5cm x 59.5cm x 51.5cm
- Cutout dimensions (HxWxD): 57.5cm - 59.7cm x 56cm x 55cm
- Connecting cable: 95cm
- Total connected load: 2.48 kW

Integrated accessories:
- Aluminum baking tray
- Combination grid
- Universal pan

Optional accessories:
- HZ317000 - Pizza tray
- HZ361000 - Enamel baking tray
- HZ368300 - 3 Level, Full extention telescopic rails

*Available until stocks last. Successor model HB21AB521.



Microwaves and Combination Microwave Ovens.

The speed and convenience of the microwave has made it a must-have in most Indian kitchens. Siemens offers compact microwave-based models ranging from simple 800 watt microwaves to more sophisticated versions incorporating quartz grills and heating elements to replicate traditional cooking and provide combination cooking options. Choose a compact45 model to co-ordinate beautifully with a single oven from the Siemens range.

Design options for your kitchen

There are three different design options in our microwave – a compact45cm microwave combination oven, and microwave ovens designed to be built into a wall cabinet. These Microwave ovens coordinate perfectly with any Siemens single oven. The models incorporating microwave feature sophisticated Innowave technology, which means improved efficiency and energy savings of up to 15% over traditional microwave technology.

Siemens combination microwaves

Only 45cm high but of spacious 42-litre internal capacity, the combination oven with microwave has integrated three cooking functions - heating, grilling and microwave in one.

With 15 heating methods, cooking fine ventilated at 300℃ and the ability to cook well on most levels, the combination oven with microwave allows the creation of gourmet recipes. Enjoy thaw, heat, cook quickly with 5 levels of microwave cooking.

Siemens microwaves

Siemens also offers a range of microwaves with side control panel and fitting frame, including models with and without grill. The options include models for installation in wall cabinets and all feature a choice of five microwave power levels, electronic control and automatic weight defrost and cooking programmes.

Automatic cooking programmes and recipe memory settings

Every model in the Siemens microwave and combination microwave oven range features automatic cooking and defrost programmes - simply enter the food type and weight and let the appliance do the rest. Most models offer at least one memory position so you can store your favourite recipes.

Stainless steel interior

All Siemens microwaves and microwave combination ovens feature a durable and easy to clean stainless steel interior. Few microwave models fed microwaves from below the ceramic base of the appliance while standard models use glass turntables to ensure effective microwave distribution.

Combination Microwave Oven | 60cm

HB86K575IN
60cm Combination Microwave Oven

Design:
- Full glass door
- TFT clear text display
- Light control: Full metal illuminated retractable control dial

Features:
- Oven capacity: 42 litres
- 70 automatic programmes
- Multifunction combination microwave oven with 15 cooking functions: 3D Hot air, Intensive hot air, Top/Bottom heating, Intensive heat, Bottom heating, Hot air grilling, Large area grill, Small area grill, Slow cook, Plate warming, Keep warm, Microwave, Combination setting, MicroCombi gentle and MicroCombi intensive
- Internal glass door
- Grey enamel smooth oven interior
- Oven interior light on side
- Digital clock with time display
- Memory function with 6 settings
- Microwave power levels: 900W, 600W, 360W, 180W, 90 W
- Automatic rapid heating up function
- Sabbath function
- ecoClean function for top and back panels
- Automatic safety switch off
- Childproof lock function
- coolDoor glass: keeps the door cool at max. 40°C

Dimensions:
- Appliance dimensions (HxWxD): 45.4cm x 59.5cm x 53.1cm
- Cutout dimensions (HxWxD): 45cm x 56cm x 55cm
- Connecting cable: 205cm
- Total connected load: 3.6 kW

Integrated accessories:
- Combination grid
- Universal pan

Optional accessories:
- HZ86B000 - Baking tray

Microwave Oven | 60cm

HF25G5L2IN
60cm Microwave Oven with Grill

Design:
- Full glass left hinged door
- LCD white display with blue indicator lights
- Retractable control dial with push buttons

Features:
- Oven capacity: 21 litres
- 10 automatic programmes
- Microwave oven with 3 cooking functions: Microwave, MicroCombi and Grilling
- Microwave power levels: 900W, 600W, 360W, 180W, 90W
- Combination of Grill and Microwave power levels: 360W / 180W / 90W
- Stainless steel oven interior with ceramic bottom
- Oven interior light
- Integral cooling fan
- Memory function with 2 settings
- Digital clock with time display

Dimensions:
- Appliance dimensions (HxWxD): 38.2cm x 59.5cm x 32cm
- Cutout dimensions (HxWxD): 36.2cm - 38cmx 56cm x 30cm
- Connecting cable: 200 cm
- Total connected load: 1.99 kW

Integrated accessories:
- Glass pan
- Grid

Microwave Oven | 60cm

HF25M5L2IN
60cm Microwave Oven

Design:
- Full glass left hinged door
- LCD white display with blue indicator lights
- Retractable control dial with push buttons

Features:
- Oven capacity: 21 litres
- 7 automatic programmes
- Microwave power levels: 900W, 600W, 360W, 180W, 90W
- Stainless steel oven interior with ceramic bottom
- Oven interior light
- Integral cooling fan
- Memory function with 2 settings
- Digital clock with time display

Dimensions:
- Appliance dimensions (HxWxD): 38.2cm x 59.5cm x 32cm
- Cutout dimensions (HxWxD): 36.2cm - 38cm x 56cm x 30cm
- Connecting cable: 200 cm
- Total connected load: 1.22 kW

Microwave Oven | 51cm

HF24G561*
51cm Microwave Oven with Grill

Design:
- Centered glass left hinged door
- LED red display
- Rotary control dial with push buttons

Features:
- Oven capacity: 25 litres
- 8 automatic programmes
- Microwave oven with 3 cooking functions: Microwave, Combined Microwave + Grill and Grilling
- Microwave power levels: 900W, 600W, 360W, 180W, 90W
- Combination of Grill and Microwave power levels: 360W / 180W / 90W
- Stainless steel oven interior
- Oven interior light
- Integral cooling fan
- Memory function
- Glass turntable diameter: 31.5cm
- Digital clock with time display

Dimensions:
- Appliance dimensions (HxWxD): 28cm x 51.3cm x 40.5cm
- Cutout dimensions (HxWxD): 38cm x 56cm x 55cm
- Connecting cable: 130cm
- Total connected load: 1.45 kW

*Available until stocks last. Successor model HF22G564IN.

The combination steam oven that changes the way you cook

Efficient and hygienic steaming

Siemens steam ovens are equipped with a removable water tank that holds up to 1.3 litres of water, enough for more than 3 hours steam cooking at full power. It means ovens are without the need of plumbing in from water inlet. Enjoy a healthy meal created by the power of steam. With juicy meats and crunchy vegetables cooked to perfection, your dishes will be second to none. Steam keeps the nutrients and minerals within food, making a tastier and healthier meal. Combined with hot air, you can create a wider variety of meals to enjoy time and time again.

Water is fed into the oven cavity and heated by a powerful element at the base of the appliance. This ensures the maximum efficiency as the appliance is only heating the amount of water needed for the cooking process. Moreover, no calcification will occur during the water flow from tank to cavity and thus assure the steam is completely hygienic.

The ovens are thermostatically controlled to allow steam temperatures of 35-100℃ - ideal for all types of fish, meat, poultry and vegetables.

Steam cooking with hot air

Combining traditional hot air cooking with steam cooking offers the best preparation method for every dish and type of food. This brings the moisture and tenderness of steam cooking as well as the well-risen and crustiness of traditional hot air. And it retains everything that is important about food: taste, aroma, texture, vitamins and nutrients.

Different dishes can be prepared simultaneously in the three slide-in shelves without transferring taste or odour.

Automatic programmes: A secret chef in your kitchen

All you need to do is enter the food type and weight and let steam combination oven features and 70 automatic defrost, cooking and combination programmes do the rest. The oven also offers the memory function so you can store your favourite recipes.

Combination Steam Oven | 60cm

HB36D575
60cm Combination Steam Oven

Design:
- Full glass door
- TFT clear text display
- Light control: Full metal illuminated retractable control dial

Features:
- Oven capacity: 35 litres
- 70 automatic programmes
- Multifunction combination steam oven with 9 cooking functions: Hot air, Steam, Hot air + Steam, Reheat, Prove, Defrost, Slow cook, Plate warming and Keep warm
- Internal glass door
- Stainless steel oven interior
- Oven interior light
- Integral cooling fan
- Memory function
- Water tank capacity: 1.3 litres
- Tank empty indicator
- Descaling programme
- Energy efficiency A - 20%: 20% less energy consumption than the best energy class A
- Automatic safety switch off
- Childproof lock function
- coolDoor with triple glass

Dimensions:
- Appliance dimensions (HxWxD): 45.4cm x 59.5cm x 55cm
- Cutout dimensions (HxWxD): 45cm x 56cm x 55cm
- Connecting cable: 150cm
- Total connected load: 1.9 kW

Integrated accessories:
- Stainless steel tray, 1/3 perforated, 4cm deep
- Stainless steel tray, 2/3 perforated, 4cm deep
- Stainless steel tray, 1/3 non perforated, 4cm deep
- Stainless steel tray, 2/3 non perforated, 2.8cm deep
- Grid
- Grease filter

Warmer Drawers - Much more than just a drawer.

Whether you are keeping food warm, warming crockery or simply in need of extra storage space, a fully co-ordinated Siemens warming or accessory drawer is a must have for the modern kitchen. A warmer is an appliance which not only heats plate or crockery but one can also defrost food items example poultry or vegetables. Another added advantage is that you can also do slow cooking in this the Warmer Drawer. Now you will be able to serve warm food always without any hassle.

The co-ordinating range

Designed to perfectly match with Siemens single ovens and compact45 models, there is a choice of models with 14cm or 29cm heights holding up to 12 or 40 plates respectively, with four temperature options ranging from 40-80°C. Both the models are available with a co-ordinating handle. There's a simple indicator light that tells you at a glance whether the drawer is on or off.

Easy access

The fully extendable pull-out drawer allows easy access to the contents and can accommodate up to 25kg (15kg for the accessory drawer).

Cleaning made simple

The warming drawer's easy to clean smooth and hard wearing ceramic glass base is recessed, which allows for any spillage to be easily contained.

Warmer Drawer | 60cm

HW290562
60cm Warmer Drawer

Design:
- Stainless steel cavity with handle bar
- Blue indicator lights
- Rotary control
- 29cm height

Features:
- Interior cavity volume: 52 litres
- Maximum load taken: 25kg (up to 40 plates or 120 espresso cups)
- Functions: Dough proving, Defrost, Hold warm and Plate warming
- Adjustable temperature range from 30-80°C
- Easy to clean toughened glass heating plate
- Telescopic full extension rails
- coolDoor

Dimensions:
- Appliance dimensions (HxWxD): 29cm x 59.4cm x 54.4cm
- Cutout dimensions (HxWxD): 29cm x 56cm x 55cm
- Connecting cable: 150cm
- Total connected load: 0.81 kW

Warmer Drawer | 60cm

HW140562
60cm Warmer Drawer

Design:
- Stainless steel cavity with handle bar
- Blue indicator lights
- Rotary control
- 14cm height

Features:
- Interior cavity volume: 20 litres
- Maximum load taken: 25kg (up to 12 plates or 80 espresso cups)
- Functions: Dough proving, Defrost, Hold warm and Plate warming
- Adjustable temperature range from 30-80°C
- Easy to clean toughened glass heating plate
- Telescopic full extension rails
- coolDoor

Dimensions:
- Appliance dimensions (HxWxD): 14.1cm x 59.5cm x 54.4cm
- Cutout dimensions (HxWxD): 14.1cm x 56cm x 55cm
- Connecting cable: 150cm
- Total connected load: 0.81 kW

Coffee Centre

Meet the barista in your kitchen.

Our sophisticated fully automatic built-in coffee centre makes all kinds of hot drinks with flair. Discover a new espresso world, where every process from bean to cup is, as the Italians say, perfetto. The coffee centre means you can built-in the fastest and most efficient appliance of its kind, where the technology is more than just brand new, it's revolutionary.

Perfect flavour

Get your perfect flavour every time from the many flavours in a cup of espresso with our new sensoFlow System which sustains the water at the ideal temperature for 30 seconds during the brewing process. With minimal heat-up time and minimum standby power, it's also a unique energy saving feature.

Coffee just how you like it, no compromise!

If you like your coffee extra-large or extra-strong, the aromaDoubleShot option ensures your desired strength or size without compromising on that perfect intensive flavour. And variableCupVolume allows you to adjust filling capacity, outside of the standard small, medium or large options.

Perfect crema

A golden-brown, creamy and long-lasting crema is the trademark of a really good espresso. To achieve this, a constant pressure is important in extracting the maximum flavour from the beans. Preparing espresso requires the talents and instinct of a first class barista. With our compact**45** coffee centre, we have built those skills into the very fabric of the machine with our 'aroma pressure system'.

The convex design of the tamper allows even more flavour to be released from the ground coffee. So no matter how much coffee you use, you'll always end up with the perfect crema. Fully automatically.

Perfect simplicity

Fine milky foam, as frothy as lightly whipped cream: that's the basis of the ultimate cappuccino. An optimised swirling process produces the ultimate in fine, milky foam for the perfect result every time via the independent milk system.

Perfect design

Espresso connoisseurs who are enthralled by the entire espresso-making process will love the transparency and intuitive operation of our coffee centre.

Espresso Maker | 60cm

TK76K573
60cm Fully Automatic Espresso Maker

60 cm
Width

Design:
- High-quality LCD display
- Light control: Full metal illuminated retractable control dial with soft push buttons
- Blue indicator lights

Features:
- Selection of beverages: Espresso, Coffee, Latte Macchiato, Cappuccino, White coffee, My coffee, Milk froth, Warm milk and Hot water
- "One touch" function for Latte macchiato, Cappuccino, White coffee & My Coffee
- AromaDouble shot function
- SensoFlow system: innovative heating system
- 2 cups selection for Espresso and Coffee
- Variable CupVolume: Coffee amount setting in 3 level cup sizes
- Automatic rinsing function
- Short rinse function for milk system
- Integrated Pre-brew function
- Illuminated coffee maker
- Coffee bean container with aroma preservation lid for 1000g
- Brewing chamber: max 12g
- Integrated storage compartment for milk tube, short instruction and coffee powder spoon
- Milk container (0.7 litres) with insulation; Replaceable inner container
- Removable plastic spillage collection
- Removable drip tray including container for coffee grounds at the push of a button
- Removable water tank: 2.5 litres
- Indicator for coffee bean container, water tank and drip tray
- Automatic cleaning system
- Water level sensor
- Indicator for descaling or cleaning programme
- Dishwasher safe parts of espresso maker: Bean container lid, Drip plate, Water tank lid, Milk nozzle, Milk tube, Trester container and Drip tray
- Display of remaining cups before cleaning or descaling
- Safety functions: espresso maker is locked if drip tray is full, milk nozzlE is missing, water tank is empty or water tank is missing

Dimensions:
- Appliance dimensions (HxWxD): 45.4cm x 59.4cm x 53.5cm
- Cutout dimensions (HxWxD): 45cm x 56.4cm x 51.4cm
- Connecting cable: 150cm
- Total connected load: 1.7 kW

Optional accessories:
- TZ60001 - Cleaning tablets
- TZ80002 - Descaling tablets

Accessory No.	Name	Accessory for model no.	Description
Hobs			
HZ298107	Wok ring	EC845IB90E EC945RB91E EP718QB21E	
HZ298108	Wok ring	EC945TB91E EP618HB21E	
HZ298113 	Small pot support	ER326AB70E	
HZ298114	Small pot support	ER926SB70E EC945TB91E EC945RB91E EP618HB21E EC845IB90E	
HZ394301	Connecting strip	EH375ME11E ET475MY11E ET375GA11E ET375GU11E EH375MV17E ET375MF11E ER326AB70E ER326BB70E	For an adjoining installation of dominos or dominos beside bigger hobs with Top Design. Guarantees water tightness between the hobs/dominos.The connection strip is invisible after installation of the system. Usable for all kind of worktop materials. Usable for 49cm and 50cm cut-out depth. 1 assemble kit = 2 units 2 assemble kits = 3 units
Hoods			
LZ34500	Recirculating kit	LI23031	For recirculation operation. Consisting of: charcoal cassette filter, deflector, flexible hose ø 12cm, 80cm long with 2 clamps, mounting material.
LZ34501	Active carbon filter	LI23031	For recirculation operation.

Accessory No.	Name	Accessory for model no.	Description
LZ45500	Recirculating kit	LI48932	For recirculation operation. Consisting of: charcoal cassette filter, deflector, flexible hose ø 15cm, 80cm long with 2 clamps, mounting material.
LZ45501	Active carbon filter	LI48932	For recirculation operation.
LZ49050	Handle strip	LI48932	
LZ12265	Chimney extention - 100cm	LC91BD552 LC98WA542 LC91BB542 LC91KA542 LC98BD542 LC97WA532I LC98BH542	
LZ12365	Chimney extention - 150cm	LC91BD552 LC98WA542 LC91BB542 LC91KA542 LC98BD542 LC97WA532I LC98BH542	

Accessories - Hobs, Hoods, Ovens & Coffee Centre

Accessory No.	Name	Accessory for model no.	Description
LZ12385	Chimney extention - 160cm	LF21BA542 LF98BE542	
LZ56100	cleanAir re-circulation kit	LC257BB40	
LZ56200	cleanAir active carbon filter	LF 21BA542 LF 98GA542 LF 959RA50 LF 959RB50 LF 98BE542 LC257BB40 LC91BD552 LC98WA542 LC91BB542 LC91KA542 LC98BD542 LC98BH542 LC97GC542 LC68BF542	

Ovens

HZ317000	Pizza tray	HB21AB520E HB73GU545 HB58GB570J HB33GB550 HB23AB523	High-quality pizza tray with an especially large diameter of 35cm. Enamelled inside and outside. dishwasher safe.

Accessory No.	Name	Accessory for model no.	Description
HZ327000	Baking Stone	HB58GB570J HB33GB550 HB23AB523	Ceramic baking stone and wooden spatula. Ideal when baking bread, unleavened bread, pizza and frozen food dishes. Pyrolysis-compatible.
HZ338357	3 level, full extension telescopic rails	HB58GB570J HB33GB550 HB23AB523	The 3-fold telescopic drawer full extension with stop function allows you to pull out baking trays, wire shelves or the universal pan at three levels. No tilt over because the pull out device is mounted in the oven's back in a safe and stable manner, Baking trays, wire shelves and universal pans, which are delivered as standard accessories, can be used with all kinds of drawers.
HZ361000	Enamel baking tray	HB21AB520E	Enamelled baking tray for cakes and biscuits, bread and rolls, yeast-risen pastry and Christmas loaf.
HZ368300	3 level, full extension telescopic rails	HB21AB520E	The 3-fold telescopic drawer allows you to pull out baking trays, wire shelves or the universal pan at three levels. No tilt over because the pull out device is mounted in the oven's back in a safe and stable manner. Baking trays, wire shelves and universal pans, which are delivered as enclosed accessories together with the appliance, can be used with all kinds of drawers.
HZ398300	Lava stones 3.0 KG	ET375GU11E	Lava stones exchange kit for domino barbecue grill
HZ86B000	Baking tray	HB86K575IN	

Accessories - Hobs, Hoods, Ovens & Coffee Centre

Accessory No.	Name	Accessory for model no.	Description
Coffee Centre			
TZ60001	Cleaning tablets	TK76K573	
TZ60002	Descaling tablets	TK76K573	

Refrigerators & Wine Coolers

Cooling

Stunning designs, first-class quality and environment friendly operations are of paramount importance to Siemens. Together, they form the backbone of our approach to everything we create. It's an attitude that runs across our entire range of cooling products, from the smallest under-counter model to our spectacular coolConcept built-in range and stunning aCool top-of-the range models.

Serious refrigeration just got seriously cool.

Cooling versatility: The freshProtectbox

The a**Cool** range features the versatile fresh**Protectbox** drawer. The temperature can be controlled independently from the rest of the fridge compartment: select from one of three temperature settings, depending on the contents. Choose 0°C for fish, 2°C for milk products, or 4°C for fruit and vegetables. The fresh**Protectbox** also features its own interior lighting.

Fully extendible drawers on telescopic rails

The aCool drawers slide smoothly and surely on a carefully engineered telescopic rail system. They are fully extendable, for complete accessibility.

airFresh filter

Strong smelling foods can be stored without any worry. An integrated carbon filtering net, with special honeycomb surface, absorbs all pungent smell and secures the flavour of each item.



Uniform temperature on every level: the multiAirflow system

Retain initial freshness and quality of food for longer. The multiAirflow system actively distributes cold air around the refrigeration compartment, ensuring an uniform temperature on all levels of the fridge and keeping the temperature constant even when the door has been left open for a while. When you add warm food to the refrigerator, they cool quicker by 40% than in a standard fridge - and with less humidity and no condensation build-up.

*Features may vary from model to model.

Cooling and wine care by aCool from Siemens.

Electronic controls

The digital display allows you to set the precise temperature and helps you to navigate easily through the operating menus. A door status sensor sets off an optical and acoustic warning alarm if the door is left open for any reason. The eco mode, helps you to save energy, whilst the vacation setting keeps your items cooled or frozen while you are away for longer periods.

Dairy compartment with lid

The magnetically sealed lid creates a closed environment perfect for keeping perishable foods fresher for longer and also prevents cross-contamination due to food odours.

Integrated ice cube maker

Positioned inside the freezer drawer, the ice cube maker featured on Siemens aCool models can produce up to 1.4kg of ice in 24 hours, in conveniently sized cubes perfect for all parties and occasions.

*Features may vary from model to model.

Super cool / Super freeze function

Adding warm or large amount of food to a refrigerator can lead to an increase in the internal and in the food temperatures. By switching on the super cool or super freeze function before you go shopping ensures fast and safe storage of food added, without affecting the temperature of food already in the refrigerator.

In-door ice and water dispenser

The luxuriously convenient in-door ice and water dispenser delivers chilled water, crushed ice and ice cubes (1.9kg of ice cubes in 24 hours) at the touch of a button.

Wine cooler

For professional-quality storage and care of wine, be it red, white or rosé, choose the elegant and stylish integrated Siemens aCool wine cooler. Equipped with an UV-filtered glass door and with room for up to 98 bottles, your wine collection is beautifully presented and conveniently accessible on telescopic storage drawers. There are two independently adjustable temperature zones, and the electronic temperature control system can accurately maintain temperatures from 5°C to 18°C.

Fridge Freezer | aCool | 90cm

CI36BP01
Built-in Fridge Freezer | French Door | Gross capacity: 560 l

General Information:
- Acoustic open door warning system
- Eco-mode
- Holiday mode
- Digital electronic control
- Language setting at the display
- Variable plinth adaption to go from 10.2 to 18.1cm
- Door aperture angle 115°
- Integrable, flat hinge
- noFrost

Fridge Section:
- airfreshFilter
- multiAirflow-System
- superCooling
- LED interior light
- 2 humidity controlled vegetable container on base unit on telescopic rails
- 1 transparent drawer on base unit on telescopic rails
- 2 dairy compartments
- 3 height adjustable safety glass shelves, two on the bottom divided

Freezer Section:
- Automatic ice cube maker
- Ice cube storage container ca. 1.5kg
- Freezing capacity: 23kg/24 h
- Super freezing with automatic switch off
- Pantry compartment with additional drawer on base with telescopic rails
- Fixed water connection with hose 2m, 3/4”

Technical Information:
- Net total capacity: 530 l
- Net fridge capacity 4 - 8°C: 392 l
- Net Freezer capacity: 138 l
- Connected load: 574W
- Nominal voltage: 220 - 240V

Dimensions:
- Dimensions (HxWxD): 212.5cm x 90.8cm x 60.8cm
- Niche Dimension (HxWxD): 213.4cm x 91.4cm x 61cm

Fridge | aCool | 75cm

CI30RP01
Built-in Fridge | Gross capacity: 496 l

General Information:
- Acoustic warning system
- Eco-mode
- Holiday mode
- Digital electronic control
- Language setting at the display
- Complete ventilation through plinth
- Variable plinth adaption to go from 10.2 to 18.1cm
- Door aperture angle 115°
- Integrable, flat hinge
- noFrost

Fridge Section:
- airfreshFilter
- multiAirflow-System
- superCooling
- LED interior light
- freshProtectBox on Telescopic Rails
- 1 transparent drawer on base unit on telescopic rails
- 1 extra deep door shelf, 2 deep door shelves
- 4 safety glass shelves of which 3 are height adjustable
- Dairy compartment sealed

Technical Information:
- Net total capacity: 477 l
- Net fridge capacity 4 - 8°C: 410 l
- Door right hinged, reversible
- Connected load: 311W
- Nominal voltage: 220 - 240V

Dimensions:
- Dimensions (HxWxD): 212.5cm x 75.6cm x 60.8cm
- Niche Dimension (HxWxD): 213.4cm x 76.2cm x 61cm

Fridge | aCool | 60cm

CI24RP01
Built-in Fridge | Gross capacity:381 l

General Information:
- Acoustic warning system
- Eco-mode
- Holiday mode
- Digital electronic control
- Language setting at the display
- Complete ventilation through plinth
- Variable plinth adaption to go from 10.2 to 18.1cm
- Door aperture angle 115°
- Integrable, flat hinge, right hinge
- noFrost

Fridge Section:
- airfreshFilter
- multiAirflow-System
- superCooling
- LED interior light
- freshProtectBox on Telescopic Rails
- 1 transparent drawer on base unit on telescopic rails
- Dairy compartment sealed
- Automatic defrost in fridge section

Technical Information:
- Net total capacity: 365 l
- Net fridge capacity 4 - 8°C: 314 l
- Connected load: 266W
- Nominal voltage: 220 - 240V
- Door right hinged, reversible

Dimensions:
- Dimensions (HxWxD):
  212.5cm x 60.3cm x 60.8cm
- Niche Dimension (HxWxD):
  213.4cm x 61cm x 61cm

Freezer | aCool | 60cm

FI24NP31
Built-in Freezer | Gross capacity: 340 l

General Information:
- Acoustic warning system
- Eco-mode
- Holiday mode
- Digital electronic control
- Language setting at the display
- Variable plinth adaption to go from 10.2 to 18.1cm
- Door aperture angle 115°
- Integrable, flat hinge, left hinge
- noFrost

Freezer Section:
- Automatic ice cube maker
- Ice cube output approx. 1.4kg / 24 hrs, storage container approx. 1.5kg
- Fixed water connection with hose 2m, 3/4"
- 3 Metal shelves, thereof 2 height adjustable
- 2 Metal containers on telescopic rails
- 5 Door bins, thereof 1 Dairy compartment sealed
- LED interior light

Technical Information:
- Net capacity: 320 l
- Storage time in power failure: 19 h
- Connected load: 421W
- Nominal voltage: 220 - 240V
- Door left hinge

Dimensions:
- Dimensions (HxWxD):
  212.5cm x 60.3cm x 60.8cm
- Niche Dimension (HxWxD):
  213.4cm x 61cm x 61cm

Freezer | aCool | 60cm

FI24DP32
Built-in Fridge | Gross capacity: 320 l

General Information:
- Acoustic warning system
- Alarm for increase in temperature due to power failure
- Holiday mode
- Digital electronic control - with touch control
- Language setting at the display
- Drinking Water Dispenser, Crushed ice, Ice cube, Child lock, On / Off switch, LED light, Anti Klump Ice
- Complete ventilation through plinth
- Variable plinth adaption to go from 10.2 to 18.1cm
- Door aperture angle 115°
- Integrable, flat hinge, left hinge
- noFrost

Freezer Section:
- Automatic ice cube maker
- Super freezing with automatic switch off
- 2 Metal containers on telescopic rails
- 4 Metal shelves, thereof 2 height adjustable
- 2 Door bins, thereof 1 Dairy compartment sealed
- Fixed water connection with hose 2m, 3/4"
- LED interior light

Technical Information:
- Net fridge capacity: 298 l
- Connected load: 592W
- Nominal voltage: 220 - 240V
- Left hinge

Dimensions:
- Dimensions (HxWxD):
  212.5cm x 60.3cm x 60.8cm
- Niche Dimension (HxWxD):
  213.4cm x 61cm x 61cm

Freezer | aCool | 60cm

FI24DP02
Built-in Freezer | Gross capacity: 320 l

General Information:
- Acoustic warning system
- Alarm for increase in temperature due to power failure
- Holiday mode
- Digital electronic control - with touch control
- Language setting at the display
- Drinking water dispenser, Crushed ice, Ice cube, Child lock, On/ Off switch, LED light, Anti Klump Ice
- Complete ventilation through plinth
- Variable plinth adaption to go from 10.2 to 18.1cm
- Door aperture angle 115°
- Integrable, flat hinge, right hinge
- noFrost

Freezer Section:
- Automatic ice cube maker
- Super freezing with automatic switch off
- 2 Metal containers on telescopic rails
- 4 Metal shelves, thereof 2 height adjustable
- 2 Door bins, thereof 1 Dairy compartment sealed
- Fixed water connection with hose 2m, 3/4"
- LED interior light

Technical Information:
- Net capacity: 298 l
- Connected load: 592W
- Nominal voltage: 220 - 240V
- Right hinge

Dimensions:
- Dimensions (HxWxD):
  212.5cm x 60.3cm x 60.8cm
- Niche Dimension (HxWxD):
  213.4cm x 61cm x 61cm

Wine Cooler | aCool | 60cm

CI24WP02

Built-in Wine Storage Cabinet | Gross capacity: 422 l

General Information:
- Acoustic warning system
- Holiday mode
- Digital electronic control
- Language setting at the display
- Dynamic cooling via integrated fan
- Two separate temperature zones, both continuously variable from 5°C to 18°C
- Glass door
- Metal Innerliner
- Complete ventilation through plinth
- Variable plinth adaption to go from 10.2 to 18.1cm
- Door aperture angle 115°
- Integrable, flat hinge
- Automatic defrost
- Intended to be used exclusively for the storage of wine

Wine Section:
- airfreshFilter
- 14 bottle shelves for 98 wine bottles of 0.75 l each
- Two halogen top lights

Technical Information:
- Net total capacity: 394 l
- Capacity Wine Storage +6°C to +14°C: 394 l
- Door right hinged, reversible

Dimensions:
- Niche Dimension (HxWxD): 213.4cm x 61cm x 61cm
- Dimensions (HxWxD): 212.5cm x 60.3cm x 60.8cm

The coolConcept range from Siemens. Top marks for energy efficiency, capacity and convenience.

Minimum energy consumption is standard: Top rated across the coolConcept range

The innovative coolConcept range of Siemens is ranked in the top energy class A++ of the European Energy label, using up to 40% less energy than their A class rated equivalents, whilst having more storage space than ever before.

We are proud of our energy-saving coolConcept range that offer an unbeatable combination of highest energy efficiency and increased capacity. With the coolConcept fridge-freezers also featuring noFrost technology for the ultimate in convenience.

eco+

No more defrosting: noFrost technology

Frost and ice formation in the freezer compartment increases the energy consumption. Like our aCool range, all coolConcept freezers and fridge-freezers, feature frost free technology. An air circulation system conducts humidity out of the interior space into an external evaporation tray, so that the appliance effectively defrosts itself automatically without having to be shut-off manually. Because the air stays dry, ice is prevented from building up on the interior walls and ice cubes will not stick to the tray. It also ensures that noFrost is formed on stored food, so food packs don't stick together and the packaging labels stay clear. Importantly, energy consumption stays at a steady low level.

Brilliant illumination with LED

Bright long-life and maintenance-free LED lights are integrated & flushed with the sidewalls. With the light aimed slightly towards the rear, the light neither shines directly into your eyes, nor can be blocked by objects stored in your refrigerator.

*Features may vary from model to model.

softClosing door system

The hinges include a damping system so that when you push the door, it closes gently yet firmly, with no sudden “clunk”. And you can walk away with absolute confidence, because the softClosing system will also automatically ensure that the door always closes completely and securely. With this, even heavier furniture doors are smooth and easy to open and close.

Extra-large freezer box for large food items: the bigBox

The bigBox is 27cm high so you can stack several pizzas, store a turkey or put large freezer containers in the spacious bigBox with ease. There's even enough room for pre-filled dessert glasses.

Fully extendable drawers on telescopic rails

The drawer in the fridge section can be easily pulled out to the fullest and gives a better overview of the refrigerated food. This is ideal because nothing can fall out while getting food items stored at the back of the refrigerator even when stacked fully.

*Features may vary from model to model.

Height-adjustable easyLift shelves

The height-adjustable easyLift glass fridge shelf lets you organize storage space quickly and easily, in a way that flexibly meet your needs. The shelf can be raised or lowed by 6cm with one hand - even when fully loaded. The refrigerator door shelves too are continuously adjustable, sliding smoothly and effortlessly up or down as required and without having to unload the contents first.

Fridge Freezer | coolConcept | 55cm

KI34NP60

Built-in Fridge Freezer | Bottom freezer | Gross capacity: 287 l

General Information:
- Optical and acoustic door open warning system
- Alarm for increase in temperature due to power failure
- Digital electronic control by TouchControl
- Twin LED electronic control
- softClosing door
- Two cooling systems
- Integrable, flat hinge
- Complete ventilation through plinth
- noFrost

Fridge Section:
- superCooling
- Vegetable container ribbed wavy bottom and humidity control on full extended telescopic rails
- 1 divider box
- 3 height adjustable glass shelves
- 4 door bins, thereof 1 extra deep with divider and 3 with easyLift
- Dairy compartment
- LED interior light

Freezer Section:
- Super freezing with automatic switch off
- Calendar for frozen food
- 3 transparent freezer drawers, thereof 1 bigBox to store large food items

Technical Information:
- Net total capacity: 264 l
- Net fridge capacity: 189 l
- Net Freezer capacity: 75 l
- Door right hinged, reversible
- Nominal voltage: 220 - 240V
- Connected load: 120W

Dimensions:
- Dimensions (HxWxD): 177.2cm x 55.6cm x 54.5cm
- Niche Dimension (HxWxD): 177.5cm x 56cm x 55cm

Fridge Freezer | coolConcept | 55cm

KI28NP60

Built-in Fridge Freezer | Bottom Freezer | Gross capacity: 250 l

General Information:
- Optical and acoustic door open warning system
- Alarm for increase in temperature due to power failure
- Digital electronic control by TouchControl
- Twin LED electronic control
- softClosing door
- Two cooling systems
- Complete ventilation through plinth
- noFrost

Fridge Section:
- superCooling
- Vegetable container ribbed wavy bottom and humidity control on full extended telescopic rails
- 1 divider box
- 3 height adjustable
- 4 door bins, there of 1 extra deep with divider and 2 with easyLift
- Dairy compartment
- LED interior light

Freezer Section:
- Super freezing with automatic switch off
- Calendar for frozen food
- 2 transparent freezer drawers, thereof 1 bigBox to store large food items

Technical Information:
- Net Total capacity: 230 l
- Net Fridge capacity: 169 l
- Net Freezer capacity: 62 l
- Door right hinged, reversible
- Nominal voltage: 220 - 240V
- Connected load: 120W

Dimensions:
- Dimensions (HxWxD): 157.8cm x 55.6cm x 54.5cm
- Niche Dimension (HxWxD): 158cm x 56cm x 55cm

Siemens quality and safety for guaranteed peace of mind.

Cool light of day: dayLight

The Siemens dayLight bulb throws an attractive white bright light in your fridge and is much lighter than a traditional yellow fridge bulb.

Humidity control slider

Provide the optimum environment for preserving the appearance and nutrition of the content by controlling the humidity in your vegetable compartment. Found on most of our cooling appliances, this clever piece of technology allows you to keep your food fresh for longer.

Vegetable drawers that maximize freshness

With its rippled base which helps maximization of air circulation in the drawer, your vegetables remain fresh for longer. Items are raised-up slightly off the bottom due to its design of the drawer and the resulting airflow helps to reduce the humidity levels underneath.

Positioned flexibly for any storage need: the varioShelf.

The varioShelf consists of two separate 14-cm deep storage shelves; the front shelf can be positioned variably to meet individual storage needs. Positioned one behind the other, the two parts form a whole storage shelf. By sliding the front glass shelf under the back shelf, you can create space in front for particularly tall items, like open bottles or jars.

*Features may vary from model to model.

A place for everything

For bottles stored in the door, there is a handy bottle storage support that prevents them from rocking and tipping over when the door is opened or closed. The versatile pullout fridge tray on certain models can be positioned at any shelf level and is suitable for storing cold cuts, cheese and other small items.

Removable magnetic door seals

To make the door seals easy to clean, we have made them magnetic. You simply pull the seal away from the inner door lining, give everything a good clean and then put it back. It really is that simple. It also makes them easy to replace, if necessary, without having to replace the whole door.

Flat-hinged design

An increased door opening angle of 115° and automatic door closing at an angle of less than 20° is a feature in most models thanks to the flat-hinged design that enables quick and easy fitment of the furniture door, without the need for extra drilling.

Tried and tested

All Siemens built-in cooling appliances are built to last. And rigorous testing ensures that our products meet all the requirements of our customers. Every single one of our appliances is tested before it leaves the factory. For 24 hours a day, our components are tested continuously to the maximum tolerance possible for the equivalent lifetime of the appliance. The doors are then opened and closed by the handle 200,000* times during testing to ensure they are robust. Materials are not only tested for suitability and longevity, we also look at how they sound and feel when we use them. Even down to a satisfying door closing action.

*200,000 times is equivalent to opening and closing the door 27 times per day for 20 years.

Made in Germany

Fridge Freezer | Static | 56cm

KI85NAF30
Built-in Fridge Freezer | Gross capacity: 265 l

General Information:
- Acoustic open door warning system
- Optical and Acoustic Warning System for Temperature increase and malfunction
- freshSense - constant temperature by intelligent sensor technology
- Holiday mode
- Two Cooling systems
- LED Interior light
- Interior with metal application

Fridge section:
- superCool function
- hydroFresh Box with humidity control - keeps fruit and vegetables up to 2 x longer fresh
- 4 safety glass shelves (3 height adjustable), of which 1 x varioShelf divisible and pushed under shelf, 1 extendable easyAccess shelf
- 4 door bins, thereof 1 is dairy compartment

Freezer Section:
- Super freeze function with automatic switch off
- Vario Zone - removable safety glass shelves for extra space
- Freezing capacity: 9 kg in 24 h
- 4 transparent freezer drawers

Technical Information:
- Net total capacity: 249 l
- Net fridge capacity: 155 l
- Net freezer capacity: 94 l
- Right hinged door, reversible door
- Connection value: 90W
- Rated Voltage: 220 - 240V

Dimensions :
- Dimensions (HxWxD): 177.2cm x 55.8cm x 54.5cm
- Niche Dimension (HxWxD): 177.5cm x 56.0cm x 55.0cm

Accessory :
- 2 x cold accumulator, 2 x egg tray, 1 x ice cube tray

Fridge Freezer | Static | 56cm

KI87SAF30
Built-in Fridge Freezer | Gross capacity: 276 l

General Information:
- Acoustic open door warning system
- Optical and Acoustic Warning System for Temperature increase
- freshSense - constant temperature by intelligent sensor technology
- Holiday mode
- Two Cooling systems
- LED Interior light
- Interior with metal application

Fridge section:
- superCool function
- hydroFresh Box with humidity control - keeps fruit and vegetables up to 2 x longer fresh
- 5 safety glass shelves (4 height adjustable), of which Base plates, Extendable glass shelf
- 6 door bins, there of 1x dairy compartment

Freezer Section:
- Super Freezing with automatic switch off
- Vario Zone - removable safety glass shelves for extra space
- 2 transparent freezer drawers, incl.1 bigBox
- Calendar for frozen food

Technical Information:
- Net total capacity: 272 l
- Net fridge capacity: 211 l
- Net freezer capacity: 61 l
- Right hinged door, reversible door
- Connection value: 90W
- Rated Voltage: 220 - 240V

Dimensions:
- Dimensions (HxWxD): 177.2cm x 55.8cm x 54.5cm
- Niche Dimension (HxWxD): 177.5cm x 56.0cm x 55.0cm

Accessories:
- 2 x cold accumulator, 2 x egg tray, 1 x ice cube tray bottle holder

Fridge | Static | 56cm

KI82LAF30
Built-in Fridge | Gross capacity: 289 l

General Information:
- Acoustic open door warning system
- Digial electronic control with Touchcontrol
- freshSense - constant temperature by intelligent sensor technology
- Interior with metal applications
- LED interior light
- Automatic defrost in fridge section

Fridge Section:
- hydroFresh Box on telescopic rails with humidity control keeps fruit and vegetables up to 2 x longer fresh
- 6 door bins, there of 1x dairy compartment
- 5 safety glass shelves (4 height adjustable), of which 1 x varioShelf divisible and pushed under shelf
- Easy access shelf - easy access and everything in sight

Freezer Section
- Freezing capacity: 3 kg/24 h
- 1 removable shelf of safety glass
- Ice compartment suited for Pizzas

Technical Information:
- Net total capacity: 287 l
- Net fridge capacity: 252 l
- Net capacity freezer: 35 l
- Door right hinged, reversible
- Connected load: 90W
- Nominal voltage: 220 - 240 V

Dimensions:
- Dimensions (HxWxD): 177.2cm x 55.8cm x 54.5cm
- Niche Dimension (HxWxD): 177.5cm x 56.0cm x 55.0cm

Accessories:
- 2 x egg tray, 1 x ice cube tray, bottle holder

Fridge Freezer | Static | 56cm

KI28DA20IE
Built-in Fridge Freezer | Gross capacity: 259 l

General Infomation:
- Acoustic open door warning system
- Digital electronic control
- Interior with metal rims
- LED interior light
- Automatic defrost in fridge section

Fridge Section:
- Vegetable drawer with humidity control
- Pull out drawer
- 6 safety glass shelves of which 5 are height adjustable
- Large door trays with Dairy compartment

Freezer Section:
- Super freezing with automatic switch off
- Ice cube tray
- 1 height-adjustable wire grid
- Freezing capacity: 2 kg/24 h

Technical Information:
- Net total capacity: 258 l
- Net fridge capacity: 216 l
- Net capacity freezer: 42 l
- Door right hinged, reversible
- Connected load: 90W
- Nominal voltage: 220 - 240V

Dimensions:
- Dimensions (HxWxD): 177.2cm x 55.8cm x 54.5cm
- Niche Dimension (HxWxD): 177.5cm x 56.0cm x 55.0cm

Accessories:
- 2 x egg tray, 1 x ice cube tray bottle holder

Fridge Freezer | Static | 56cm

KI18LV52
Built-in Fridge Freezer | Gross capacity: 137 l

General Information:
- Easy clean interior
- Mechanical control
- Fully integrated, Flat hinge
- Automatic defrost in fridge section

Fridge Section:
- Vegetable container with ribbed bottom
- 3 safety glass shelves of which 2 are height adjustable
- Bottle rack
- 4 large door shelf
- 1 fridge light

Freezer Section:
- 1 hinged freezer compartment
- Ice compartment suited for Pizzas

Technical Information:
- Net total capacity: 131 l
- Net fridge capacity: 114 l
- Net freezer capacity: 11 l
- Reversible, Door right hinged
- Connected load: 90W
- Nominal voltage: 220 - 240V

Dimensions:
- Dimensions (HxWxD): 87.4cm x 54.1cm x 54.2cm
- Niche Dimension (HxWxD): 88.0cm x 56.0cm x 55.0cm

Fridge | Static | 60cm

KU15RA50NE
Built-in Fridge | Gross capacity: 142 l

General Information:
- Easy clean interior
- Mechanical control
- Interior with metal applications
- Automatic defrost in fridge section

Fridge Section:
- 3 safety glass shelves of which 2 are height adjustable
- Bottle holder in door tray
- Big pull out tray
- 1 vegetable container with lid

Technical Information:
- Net total capacity: 138 l
- Reversible, Door right hinged
- Ventilation in plinth, no cut-out in the work surface necessary
- Connected load: 90W
- Nominal voltage: 220 - 240V

Dimensions:
- Dimensions (HxWxD): 82.0cm x 59.8cm x 54.8cm
- Niche Dimension (HxWxD): 82.0cm x 60.0cm x 55.0cm

Accessories:
- 1 x egg tray

Fridge | Static | 56cm

KI81RAF30
Built-in Fridge | Gross capacity: 321 l

General Information:
- Acoustic open door warning system
- Electronic digital control with Touchcontrol
- freshSense - constant temperature by intelligent sensor technology
- Automatic defrost in fridge section

Fridge Section:
- hydroFresh on telescopic rails with humidity control - keeps fruit and vegetables up to 2 x longer fresh with carbon filter
- superCool function
- Bottle grid
- 7 safety glass shelves (6 height adjustable) of which 1 is varioShelf divisible and can be pushed under
- 2 easyAcess extendable shelf
- 6 door bins, there of 1x dairy compartment

Technical Information:
- Net fridge capacity: 319 l
- Reversible, Door right hinged
- Connected load: 90W
- Nominal voltage: 220 - 240V

Dimensions:
- Dimensions (HxWxD): 177.2cm x 55.8cm x 54.5cm
- Niche Dimension (HxWxD): 177.5cm x 56.0cm x 55.0cm

Accessories:
- 2 x egg tray, bottle holder



Fridge | Static | 56cm

KI18RV52
Built-in Fridge | Gross capacity: 154 l

General Information:
- Easy clean interior
- Mechanical control
- Flat hinge
- Automatic defrost in fridge section

Fridge Section:
- Vegetable container with ribbed bottom
- Bottle rack
- 4 Safety glass shelves whereof 3 are height adjustable
- 4 Door shelf, large
- 1 Fridge light

Technical Information:
- Net fridge capacity: 151 l
- Door right hinged, reversible
- Connected load: 90W
- Nominal voltage: 220 - 240V

Dimensions:
- Dimensions (HxWxD): 87.4cm x 54.1cm x 54.2cm
- Niche Dimension (HxWxD): 88.0cm x 56.0cm x 55.0cm

Accessories:
- 1 x egg tray



Wine Cooler

Why not preserve your vintage wines with the Siemens wine cooler? It holds up to 32 bottles at the preferred temperature and gives you the cellar you've always wanted. The tinted frameless glass door with matching stainless steel handle gives your kitchen a sophisticated look.

Wine Cooler | Static | 56cm

KF18WA40IE

Built-in Wine Cooler vinoThek | Gross capacity: 153 l

General Information:
- "touchLight" on touching the door handle the interior light is switched on automatically
- UV protected tinted glass door with stainless steel handle
- LED electronic control
- Adjustable Temperature from 6°C to +14°C

Fridge Section:
- superCool function
- 4 bottle shelves for 32 wine bottles of 0.75 l each
- 2 flat glass shelves for party food, small bottles or cans
- Halogen light
- Automatic defrost in fridge section

Technical Information:
- Net total capacity: 149 l
- Door right hinged

Dimensions:
- Dimensions (HxWxD): 87.4cm x 53.8cm x 54.2cm
- Niche dimensions (HxWxD): 88.0cm x 56.0cm x 55.0cm

Freestanding Side-by-Side fridge-freezers

Clever design, first-class quality and environment friendly operations. This is the backbone of our approach to everything we create, from the smallest built-under model to our stunning Freestanding Side-by-Side fridge-freezers.

In-door LCD Display

The contemporary beauty of the perfectly flat, flush-fitting LCD display and touch control panel complements the clean lines of the Side-by-Side fridge-freezers. Sophisticated electronics put control of all the fridge and freezer functions at your fingertips

Chilled filtered water and ice dispenser

Chilled filtered water is on tap and crushed-ice or ice-cubes (up to 140 ice cubes per day) are conveniently dispensed at the stroke of a touch-sensitive control. And with dedicated LED lighting on our premium model, the ice and water dispenser is not only luxuriously convenient, it is also a design classic.

Cooling versatility: The freshProtectbox

In our freshProtectbox drawer the temperature can be controlled independently from the rest of the fridge compartment: select from one of the three temperature settings, depending on the content. Choose 0°C for fish, 2°C for milk products, or 4°C for fruit and vegetables.

Fully extendible drawers on telescopic rails

The drawers slide smoothly and securely on a carefully engineered telescopic rail system. They are fully extendable, for complete accessibility.

Easy-adjust shelves: easyLift shelf

You no longer have to go to the trouble of removing shelves or move food items when you have something large to put in your refrigerator. Unique to selected models in our range, the easy-adjust shelves can be quickly and easily raised or lowered by 6cm with one hand - even when fully loaded.

*Features may vary from model to model.

Fridge Freezer | Freestanding Side-by-Side | noFrost | 90cm

KA62DS91

Freestanding Side-by-Side Fridge Freezer | Gross capacity: 657 l

General Information:
- Titanium, glassDoor-series
- Premium Touchcontrol electronic
- Economy setting
- Holiday mode
- Optical and Acoustic warning system for temperature increase
- Two Cooling systems
- Door closing aid
- Waterfilter integrated
- noFrost

Fridge Section
- airfreshFilter
- multiAirflow
- superCool function
- freshprotect box
- Bottle Rack
- 4 safety glass shelves of which 3 are height adjustable, extendable easyAccess shelf, 1 easyLift shelf
- Innerdoor can dispenser for 6 cans
- Dairy compartment
- 4 Door shelves, of which 2 large and 2 small
- 2x40 Watt Daylight in fridge section

Freezer Section
- Automatic ice cube maker
- Super freezing with automatic switch off
- 3 Vario Zone - removable glass shelves for extra space, therefore 2 adjustable
- 2 Pull out drawer on Full extension rail systems, incl. 1 bigBox
- 2x40 Watt Daylight
- Ice cube output 1.7 kg / 24 h
- 4 door trays in freezer section, removable and fold-away

Technical Information
- Net total capacity: 528 l
- Net fridge capacity: 351 l
- Net freezer capacity: 177 l
- Connected load: 300W
- Nominal voltage: 220 - 240V

Dimensions:
- Dimensions (HxWxD): 175.6cm x 91.0cm x 72.6cm

Accessories:
- 2 x cold accumulator, 1 x connection hose, 1 x egg tray

Fridge Freezer | Freestanding Side-by-Side | noFrost | 90cm

KA62DV71

Freestanding Side-by-Side Fridge Freezer | Gross capacity: 655 l

General Information:
- Doors inox easyClean
- Optical and acoustic warning system for malfunction of freezer compartment
- Acoustic open door warning system Drinking Water Dispenser, Crushed ice, Ice cube, Water filter, Child lock, LED light
- Waterfilter inside
- Two Cooling Systems
- Door-closing aid

Fridge Section:
- 3 Vario Zone - removable glass shelves for extra space, 2 adjustable
- 2 Pull out drawer on extension rail systems, incl. 1 bigBox
- 4 door trays in freezer section, removable and fold-away
- Automatic ice cube maker

Freezer Section:
- Automatic ice cube maker
- Super freezing with automatic switch off
- 3 Vario Zone - removable glass shelves for extra space
- 2 Pull out drawer on extension rail systems, incl. 1 Big Box
- 4 door trays in freezer section, removable and fold-away
- 2x25 Watt Daylight in freezer section

Technical Information:
- Net total capacity: 562 l
- Net fridge capacity: 385 l
- Net freezer capacity: 177 l

Dimensions:
- Dimensions (HxWxD):
  175.6cm x 91.0cm x 72.5cm

Accessories
- 1 x connection hose, 1 x egg tray

Fridge Freezer | Freestanding Side-by-Side | noFrost | 90cm

KA56NV40NE

Freestanding Side-by-Side Fridge Freezer | Gross capacity: 618 l

General Information:
- Softline Design, inox look
- LED temperature display
- Door open warning tone for fridge and freezer section
- noFrost

Fridge Section:
- multiAirflow
- Automatic defrost in fridge section
- 2 Vegetable containers
- 4 Safety glass shelves of which 3 are height adjustable, incl. one extendable shelf
- Dairy compartment
- 2 Interior lights

Freezer Section:
- 4 safety glass shelves of which 3 are height adjustable, incl. one extendable shelf
- 2 transparent freezer drawers
- Freezer light
- 2 ice cube trays
- Freezing capacity: 10 kg in 24 h

Technical Information:
- Net total capacity: 537 l
- Net fridge capacity: 339 l
- Net freezer capacity: 198 l

Dimensions:
- Dimensions (HxWxD):
  180.0cm x 90.3cm x 67.4cm

Beautiful, clean design with first-class quality and smart thinking.

Elegant, functional and packed with technology our new Siemens freestanding refrigerators are going to become a talking point in your kitchen. Our refrigerators are equipped with solution for an intelligent airflow, which helps in maintaining optimum temperature in the refrigerator to preserve the taste & freshness of the food. With a stylish design that fits into any modern home our refrigerators are no longer just a place to store your food.

Freestanding Bottom Freezer | noFrost | 70cm

KG57NAI50I

Refrigerator Bottom Freezer | Gross capacity 509 l

General Information:
- Stainless steel anti finger print doors
- Metal handles
- Electronic digital display for temperature control on door
- Alarm for Door Left Open
- Alarm for Fridge Temperature rise
- Warning signal for malfunction
- Two Cooling system
- noFrost

Fridge Section
- multiAirflow
- airfreshFilter
- superCool function
- hydroFresh Vegetable Box with Humidity control on telescopic rails
- Chiller with Bottle holder
- LED lights
- Glass Shelves with metal rims

Freezer Section
- Super Freeze button

Technical Information
- Net total capacity: 505 l
- Net fridge capacity: 443 l
- Net freezer capacity: 70 l
- Door right hinged, reversible
- Height adjustable front feet, castors in the back
- Connected load: 160W
- Nominal voltage: 220 - 240V

Dimensions:
- Dimensions (HxWxD):
  185.0cm x 70.0cm x 65.0cm

Accessories:
- 2 cold accumulator and 2 ice cube tray, 1 x berry tray, 2 x egg tray

Freestanding Top Freezer | noFrost | 70cm

KD56NAI50I
Refrigerator Top Freezer | Gross capacity 509 l

General Information:
- Stainless steel anti finger print doors
- Metal handles
- Electronic digital display for temperature control on door
- Alarm for Door Left Open
- Alarm for Fridge Temperature rise
- Warning signal for malfunction
- Two Cooling system
- noFrost

Fridge Section
- multiAirflow
- airfreshFilter
- superCool function
- 2 vegetable containers with ribbed bottom and humidity control
- 4 safety glass shelves of which 3 are height adjustable
- Chiller with Bottle holder
- Vita Control
- Chiller box to keep food 2 times fresh

Freezer Section
- Super Freeze button
- Easy twist ice box
- Freezer light

Technical Information
- Net total capacity: 478 l
- Net fridge capacity: 380 l
- Net freezer capacity: 98 l
- Door right hinged, reversible
- Height adjustable front feet, castors in the back
- Connected load: 160W
- Nominal voltage: 220 - 240V

Dimensions:
- Dimensions (HxWxD):
  185.0cm x70.0cm x 75.0cm

Accessories:
- 1x butter dish, 2 x egg tray

Freestanding Top freezer | noFrost | 70cm

KD46NAI50I
Refrigerator Top freezer | Gross capacity 404 l

General Information:
- Stainless steel anti finger print doors
- Metal handles
- Electronic digital display for temperature control on door
- Alarm for Door Left Open
- Alarm for Fridge Temperature rise
- Warning signal for malfunction
- Two Cooling system
- noFrost

Fridge Section
- multiAirflow
- airfreshFilter
- superCool function
- 2 vegetable containers with ribbed bottom and humidity control
- 4 safety glass shelves of which 3 are height adjustable
- Door rack with bottle holder
- Chiller box to keep food fresh up to 2 times longer fresh!

Freezer Section
- Super freeze button with automatic switch off
- Easy twist ice box
- Freezer light

Technical Information
- Net total capacity: 375 l
- Net fridge capacity: 297 l
- Net freezer capacity: 78 l
- Door right hinged, reversible
- Height adjustable front feet, castors in the back
- Connected load: 160W
- Nominal voltage: 220 - 240V

Dimensions:
- Dimensions (HxWxD):
  185.0cm x70.0cm x 75.0cm

Accessories:
- 1 x butter dish, 2 x egg trays

Accessories - Cooling

Accessory No.	Accessory for model no.	Description
CI10Z090	CI24RP01 CI24WP02 CI30RP01 FI24DP02 FI24NP30	Long handle in Stainless Steel
CI10Z490	CI36BP01	Handle in Stainless Steel for Trio fridge freezer
CI24Z000	CI24RP01 CI24WP02	Toe Kick in Stainless Steel (right hinged)
CI24Z100	CI24RP01 CI24WP02	Toe Kick in Stainless Steel (left hinged)
CI24Z590	CI24WP02	Door panel in Stainless Steel without handle for 24" wine coolers (right hinged)
CI24Z690	CI24WP02	Door panel in Stainless Steel without handle for 24" wine coolers (left hinged)
CI30Z000	CI30RP01	Toe Kick in Stainless Steel for 30" fridges
CI30Z100	CI30RP01	Toe Kick in Stainless Steel for 30" fridges
CI36Z400	CI36BP01	Toe Kick Stainless Steel for 36" Trio fridge freezer
CI36Z490	CI36BP01	Door panel in Stainless Steel for 36" Trio fridge freezer
CI60Z000	CI24RP01 CI24WP02 CI30RP01 FI24DP02 FI24NP30	Installation Kit SxS
CI60Z100	CI24RP01 CI24WP02 CI30RP01 CI36BP01 FI24DP02	Heating Kit SxS for 230V

Accessories - Cooling

Accessory No.	Accessory for model no.	Description
FI24Z000	FI24NP30	Toe Kick in Stainless Steel (right hinged)
FI24Z090	CI24RP01 FI24NP30	Door panel in Stainless Steel without handle for 24" fridges (left hinged)
FI24Z100	FI24NP30	Toe Kick in Stainless Steel (left hinged)
FI24Z200	FI24DP02	Toe Kick in Stainless Steel (right hinged)
FI24Z290	FI24DP02	Door panel in Stainless Steel with cut out for dispenser without handle for 24" freezers
FI24Z300	FI24DP01 FI24DP31	Toe Kick in Stainless Steel (left hinged)
FI30Z090	CI30RP01	Door panel in Stainless Steel without handle for 30" fridges
FI50Z000	CI36BP01 FI24DP02 FI24DP31 FI24NP30	Water filter

Dishwashers

Embrace the freedom that a dishwasher can give you.
A revolution in your kitchen that cleans dishes with hot water at 70℃, killing 99.9% germs. Unlike normal hand washing, its powerful jet stream ensures no grease is left behind.

Faster drying and lower energy consumption, naturally.

The Zeolite® drying technology in Siemens dishwashers makes use of the Zeolite® mineral, a naturally occurring mineral with astonishing ability to absorb moisture and release as heat energy.

Dishwasher with Zeolite® drying technology wins "Innovation Prize for Climate and Environment"

Siemens' dishwasher with Zeolite® drying technology has been awarded the "Innovative Prize for Climate and Environment" by the German government. High recognition was shown for the Zeolite® drying technologie's dedication to environmental protection and excellent energy efficiency.

Zeolite ® drying

Cutting-edge Zeolite® drying technology

The dishwasher features a special container of Zeolite®, a mineral with the ability to absorb moisture and convert it into heat. It facilitates a faster drying process, which reduces time taken and energy consumed.

1. Drying phase

Zeolite® absorbs moisture and converts it to heat energy.

2. Cleaning phase

During the cleaning cycle the Zeolite® mineral is heated, so that it is recharged and ready to absorb moisture once more.

Lifelong drying

The Zeolite® minerals are stored in the depths of the dishwasher and thanks to the regeneration process, it keeps on working the for entire lifetime of the dishwasher.

Puts your dishes into the right light: emotionLight

Show-off your sparkling clean glassware with the cool blue emotionLight in our top of the range models.Two LEDs at the top of the door frame bathe the interior of the dishwasher and the dishes in cool blue light when you open the door and switches off again when you close it. The LED lights never need to be changed and will last for the lifetime of your dishwasher.

*Features may vary from model to model.

New definition of water saving

Low water consumption at only 7 litres with low energy consumption

Using dishwasher is a more efficient cleaning method than doing dishes by hand. Dishwashers consume significantly less water, less detergent and less electricity. Compared to dishes washed by hands which consume about 60 litres, our dishwashers consume only 7 litres of water to give you that desired clean dishes. At Siemens, we try our best to ensure our dishwashers are flexible, versatile plus save water and energy at a new standard.



infoLight®

Siemens dishwashers are so quiet, that you may forget they are even on. The InfoLight® projects a red light onto the floor during the wash cycle that turns off when dishes are ready.

timeLight™

Now it is also possible for fully integrated models to see when the dishwashing cycle will be completed. The timeLight™ projects the cycle status and time remaining, on the kitchen floor to let you know a wash cycle is running and about the progress.

intensiveZone allows dual pressure for mixed load

Siemens intensiveZone makes cleaning of soiled pots and fragile glasses together possible and does not impact the pre-selected programme. Enabling the intensiveZone will generate 20% more spray pressure and a higher temperature in the lower rack so that the most stubborn soiling is taken care of. A perfect dishwashing result is guaranteed for mixed loads.



Half load without loading restrictions

The half load option is perfect for smaller households and allows total freedom on where to stack the dishes. It also saves up to 20% of water and 10% of energy whilst maintaining the best wash performance. A convenient option when you don't want to wait for a full load.

varioSpeed plus

varioSpeed plus reduces the cycle time by up to 66% with an optimum dishwashing result. Dishes are perfectly cleaned and dried with same washing result at shortest time.

HygienePlus

HygienePlus is a new option that can be activated in many programmes and guarantees maximum hygiene, thanks to its thorough cleaning. This effect is achieved by a higher temperature level of up to 70°C during rinsing, sustained for approximately 10 minutes. A revolution in your kitchen that cleans dishes with hot water at 70℃, killing 99.9% germs.

HygienePlus is therefore ideal for those with high hygiene standards, for instance in households with small children.

*Features may vary from model to model.

Optimal freedom in dish loading

Our dishwasher range offers a variety from 6 to 14 place settings. This means that they give you the possibility to clean each 6 to 14 small plates, big plates, glasses, cups, saucers and sets of cutlery in one wash, dependant on their individual load capacity. Of course, when putting less plates or glasses, you can put pots or pans instead.

The representations of best technology and latest innovations

rackMatic™ flexibility and convenience

rackMatic™ gives you the flexibility to adjust the upper basket to accommodate taller glasses or large saucers. Bigger utensils can be stacked at the bottom by lifting the upper basket, this adjustment can be made even when the dishwasher is loaded.

aquaSensor

aquaSensor is a special feature to save water and energy. With aquaSensor, a light sensor technology assesses the level of soiling of the dishes and automatically adjusts the suitable wash cycle which cleans your dishes thoroughly. Water temperature, cycle time and energy consumption are optimized for an optimal use of energy, water and time.

loadSensor

The loadSensor automatically detects and adjusts the amount of water in the dishwasher. If there is a loss of water (due to an upturned cup, for instance), the loadSensor automatically adjusts the intake to ensure the optimal amount of water is always being used.

Whisper-soft dishwasher

Our special sound insulation technology has made Siemens dishwashers particularly quiet in operation. The innovative pump which pushes the water out of the machine will automatically turn off when no excess water has to be removed, thus eliminates unpleasant pumping sound. Selected models operate at no more than 42dB, making them even quieter than a working computer.

Quiet Operation
You don't know it is working!

42dB	empty room
44dB	whispering
57dB	conversation

Efficient, robust and quiet: the iQdrive motor.

Your Siemens dishwasher is now powered by the revolutionary iQdrive motor which is quieter, faster and more efficient which improves energy performance of the dishwasher. Set your dishwasher to use less energy while maintaining the same performance level. Shorter cycle times to achieve optimal cleaning results or highest cleaning power, its innovative magnetic technology drive the iQdrive without friction for virtually wear-free operation.

Three plus filter system

Our easy to remove and clean filter system comes in three parts: a fine micro-filter, a fine filter and a coarse filter. With 50% more surface area between them, they allow up to 15% more water to circulate through the system.

Special-designed door catch

The clever design of the door catch and precision engineering of the spring pressure means that the door can be securely closed with the minimum of effort providing virtually automatic door closing.

Salt and rinse-aid indicators

All Siemens dishwashers monitor the level of rinse aid and salt, and indicate when the rinse aid or salt compartments need to be re-filled.

*For optimum care of your dishwasher we always recommend the use of salt, even if you are using a combination detergent.

aquaStop®

The aquaStop® system guarantees 100% lifelong safety - guaranteed against water damage. If a leak does occur, aquaStop® immediately cuts off the water supply from the tap, even when the dishwasher is switched off.

Detergent Recommendation

Siemens has tested and recommends using Finish dishwashing products. Dishwashing detergent, salt & rinse-aid. Finish has been especially developed to work effectively at temperatures as low as 45°C. Finish contains unique ingredients, including anti-foaming agents, which achieve sparkling results at low temperatures with all types of loads, from delicate tableware to heavily soiled pots and pans.

Child lock

Child lock prevents children from opening the door and a tamperproof control panel that will stop inquisitive little fingers from changing the programme during operation.

*Features may vary from model to model.

Dishwasher | SpeedMatic | 60cm

SN56V597EU
60cm Integrated Stainless Steel SpeedMatic Dishwasher

Features:
- Capacity: 13 place settings
- 6 programmes: Auto 65-75°C, Auto 45-65°C, Auto 35-45°C, Eco 50°C, Quick Wash 45°C, Pre-rinse
- 4 special options: Shine & Dry, intensiveZone, varioSpeed Plus, Hygiene Plus
- Zeolite drying technology
- iQdrive motor
- High-definition colour TFT display showing graphic symbols and plain text
- aquaSensor, loadSensor
- emotionLight
- Remaining programme time indicator (mins.)
- Acoustic end of cycle indicator
- aquaStop with guarantee
- Childproof door lock
- Servo lock for effortless door closing
- Glass care protection system
- varioDrawer Plus: additional flexibility in the cutlery drawer

Performance:
- Energy consumption in programme Eco 50: 0.67 kWh
- Water consumption in programme Eco 50: 7 l
- Drying Efficiency Class: A
- Stainless steel interior

Dimensions:
- Dimensions of the product (HxWxD): 81.5cm x 59.8cm x 57.3cm

Dishwasher | SpeedMatic | 60cm

SN66V092EU
60cm Fully Integerated SpeedMatic Dishwasher

Features:
- Capacity: 14 place settings
- 6 programmes: Auto 65-75°C, Auto 45-65°C, Auto 35-45°C, Eco 50°C, Quick Wash 45°C, Pre-rinse
- 4 special options: Shine & Dry, intensiveZone, varioSpeed Plus, Hygiene Plus
- Zeolite drying technology
- iQdrive motor
- metalTouch operation
- emotionLight
- timeLight
- aquaSensor, loadSensor
- SpeedMatic hydraulic system
- aquaStop with guarantee
- Childproof door lock
- Servo lock for effortless door closing
- Glass care protection system
- varioDrawer Plus: additional flexibility in the cutlery drawer

Performance:
- Energy consumption in programme Eco 50: 0.74 kWh
- Water consumption in programme Eco 50: 9.5 l
- Drying Efficiency Class: A
- Stainless steel interior

Dimensions:
- Dimensions of the product (HxWxD): 81.5cm x 59.8cm x 55cm

Dishwasher | SpeedMatic | 60cm

SN56N554EU
60cm Stainless Steel Integrated Dishwasher

Features:
- Capacity: 13 place settings
- 6 programmes: Intensive 70°C, Auto 45-65°C, Eco 50°C, Delicate 40°C, Quick Wash 45°C, Pre-rinse
- 4 special options: intensiveZone, varioSpeed Plus, half load, Hygiene Plus
- iQdrive motor
- aquaSensor, loadSensor
- Self cleaning filter system with 3 piece corrugated filter
- Remaining programme time indicator (mins.)
- Programme status indicator
- Start time delay: continous 1-24hrs
- LED water inlet indicator, LED salt refill indicator, LED rinse-aid refill indicator
- 3 stage rackMatic height-adjustable top basket
- aquaStop with guarantee
- Child safety - childproof door lock, Tamperproof controls
- servoLock for effortless door closing

Performance:
- Energy consumption in programme Eco 50: 0.92 kWh
- Water consumption in programme Eco 50: 9.5 l
- Drying Efficiency Class: A
- Stainless steel interior

Dimensions:
- Dimensions of the product (HxWxD):
  81.5cm x 59.8cm x 57.3cm



Dishwasher | SpeedMatic | 60cm

SN66N054EU
60cm Fully Integrated Dishwasher

Features:
- Capacity: 13 place settings
- 6 programmes: Intensive 70°C, Auto 45-65°C, Eco 50°C, Delicate 40°C, Quick Wash 45°C, Pre-rinse
- 4 special options: intensiveZone, varioSpeed, half load, Hygiene Plus
- iQdrive motor
- infoLight
- aquaSensor, loadSensor
- LED salt refill indicator, LED rinse aid refill indicator
- varioFlexPlus basket system
- aquaStop with guarantee
- Childproof door lock
- Servo lock for effortless door closing
- Glass care protection system

Performance:
- Energy consumption in programme Eco 50: 0.92 kWh
- Water consumption in programme Eco 50: 9.5 l
- Drying Efficiency Class: A

Dimensions:
- Dimensions of the product (HxWxD):
  81.5cm x 59.8cm x 55cm

Dishwasher | SpeedMatic | 60cm

SN55E505EU
60cm Integrated Dishwasher

Features:
- Capacity: 12 place settings
- 5 programmes: Intensive 70°C, Auto 45-65°C, Eco 50°C, Quick Wash 45°C, Pre-rinse
- 2 special options: intensiveZone, varioSpeed
- iQdrive motor
- aquaSensor, loadSensor
- Self cleaning filter system with 3 piece corrugated filter
- Remaining programme time indicator (minutes)
- Start time delay: continous 1-24hrs
- LED salt refill indicator, LED rinse aid refill indicator
- Programme selector with integrated start button
- 3 stage rackMatic height-adjustable top basket
- aquaStop with guarantuee
- Child safety - childproof door lock
- servoLock for effortless door closing

Performance:
- Energy consumption in programme Eco 50: 1.02 kWh
- Water consumption in programme Eco 50: 12 l
- Drying Efficiency Class: A

Dimensions:
- Dimensions of the product (HxWxD): 81.5cm x 59.8cm x 57.3cm

Dishwasher | SpeedMatic | 60cm

SN65E006EU
60cm Fully Integrated Dishwasher

Features:
- Capacity: 12 place settings
- 5 programmes: Intensive 70°C, Normal 65°C, Eco 50°C, Quick Wash 45°C, Pre-rinse
- 1 special option: half load
- iQdrive motor
- aquaSensor, loadSensor
- Acoustic end of cycle indicator
- Glass protection system
- Start time delay: 3, 6 or 9 hrs
- LED water inlet indicator, LED salt refill indicator, LED rinse-aid indicator
- Vario basket system
- aquaStop with guarantuee
- servoLock for effortless door closing
- hydroMix glass care protection technology
- Front adjustable rear foot

Performance:
- Energy consumption in programme Eco 50: 1.02 kWh
- Water consumption in programme Eco 50: 12 l
- Drying Efficiency Class: A

Dimensions:
- Dimensions of the product (HxWxD): 81.5cm x 59.8cm x 55cm

Dishwasher | SpeedMatic | 45cm

SR65E000EU
45cm Fully Integrated Dishwasher

Features:
- Capacity: 9 place settings
- 5 programmes: Intensive 70°C, Auto 45-65°C, Eco 50°C, Quick Wash 45°C, Pre-rinse
- 1 special option: varioSpeed
- iQdrive motor
- duoPower spray arms in top basket
- aquaSensor, loadSensor
- Start time delay: 3, 6 or 9hrs
- LED salt refill indicator, LED rinse aid refill indicator
- aquaStop with guarantee
- servolock for effortless door closing
- Glass care protection system
- Vario basket system

Technical information:
- Energy consumption in programme Eco 50: 0.78 kWh
- Water consumption in programme Eco 50: 9 l
- Drying Efficiency Class: A

Dimensions:
- Dimensions of the product (HxWxD): 81.5cm x 44.8cm x 55cm

Dishwasher | SpeedMatic | 60cm

SK76M530EU
60cm Compact Dishwasher

Features:
- Capacity: 6 place settings
- 6 programmes: Intensive 70°C, Auto 45-65°C, Eco 50°C, Delicate 40°C, Quick Wash 45°C, Pre-rinse
- 4 special options: intensiveZone, varioSpeed Plus, Hygiene Plus, extraDry
- iQdrive motor
- aquaSensor, loadSensor
- LED salt refill indicator, LED rinse aid refill indicator
- aquaStop with guarantee
- Childproof control lock
- servolock for effortless door closing
- Glass care protection system

Technical information:
- Energy consumption in programme Eco 50: 0.62 kWh
- Water consumption in programme Eco 50: 7.5 l
- Drying efficiency class A

Dimensions:
- Dimensions of the product (HxWxD): 45.4cm x 59.5cm x 50cm

Laundry

A combination of aesthetically pleasing design with ground breaking innovation, truly takes the humble chore of washing clothes into a whole new dimension.

Introducing the new washer dryers from Siemens.

airCondensation technology:

A world's first! Save up to 40 litres of water per drying cycle. Our machines use only air where others use water. Did you know that a conventional washer dryer uses water to dry? To extract the water from wet laundry, the hot air has to be cooled down in a heat exchanger. Most washer dryers do this by using lots of fresh, cold water. Not the Wash & Dry from Siemens, it uses nothing but cold air to cool the hot air without consuming a single drop of additional water, thus saving up to 40 litres of water per drying cycle. The result: fresh, cupboard-dry laundry using significantly less water.

autoDry:

Dries gently and precisely to the point. autoDry protects your wash from excessive heat and uneven drying and the drying process is especially gentle and perfectly accurate, unlike other washer dryers. The Siemens Wash & Dry has several temperature and moisture sensors for precise measuring, controlling temperature and moisture levels. The results: lesser ironing time, more energy savings and more convenience than ever before.

Self-Cleaning condenser:

Continuous automatic condenser cleaning is crucial for constant energy efficiency. To ensure that the new Siemens Wash & Dry stays as efficient as the first time it is used, the condenser must be kept free of lint and fluff that can gather there. But the machine takes care of that for you. The self cleaning process takes place automatically after every drying cycle. That means no drop in energy efficiency and maintenance-free long term reliability.

Fluff clean:

The 10 minute fluff removal cycle in our washer dryers conveniently cleans the drying circuit of the fluff deposits that can build-up through normal use. An icon on the display illuminates when the machine determines it is time to run the programme.

Less ironing option:

At the touch of a button, water will be gently and evenly drained from your wash so that your clothes stay almost crease-free and the tumbling at the end of the cycle means a lot less ironing and a lot more free time for you.



Special wash programmes:

Our washer dryers models feature programmes for wool and for mixed fabric loads, a cold wash cycle and especially gentle programmes to protect more delicate items.

Washer Dryer | Built-in | 60cm

WK14D320EU

60cm Built-in Washer Dryer I 6 kg Washing I 3 kg Drying

Performance:
- Capacity: 6.0 kg washing / 3.0 kg drying
- Spin speed: 1400 to 600 rpm
- Consumption* Wash & Dry: Energy 4.85 kWh & Water 83 l
- Noise level washing: 57 db
- Noise level spinning: 74 db

Features:
- Reload function
- autoLoad
- Imbalanced load sensor
- Fluff-removal cycle
- aquaSecure
- Non stop wash and dry programme - 4.0 kg
- Aquatronic wash system
- Foam detection system
- Time delay: continous 1-24hrs
- Child lock
- End of cycle buzzer

Special Programmes:
- Special programmes washing: Mixed fabrics 30°C, Cold, Delicates
- Special programme drying: Fluff-removal cycle

Design:
- Fully electronic control dial with LED display
- Buttons: Reload function, Spin speed selection, Menu, Drying time selection
- 30 cm porthole with white coloured door, with 95 degree opening
- Porthole with glass cover
- Door hinging left
- Decor door is reversible

Dimensions (H x W x D):
- 82.0cm x 59.5cm x 58.4cm



- *Energy & water consumptions of the standard cotton 60 ºC cotton programme with 1 wash cycle at full load and 2 drying cycles.
- Important information for installation (applicable for all models): Water pressure of 1 to 10 bar and 15 A plug point are pre-requisite.

Washer Dryer | 60cm

WD14H421EU

60cm Washer Dryer I Air Condensation Technology I 7 kg Washing I 4 kg Drying

Performance:
- Capacity: 7.0 kg washing / 4.0 kg drying
- Spin speed: 1400 to 400 rpm
- Consumption* Wash & Dry: Electricity 5.57 kWh & Water 57 l
- Noise level washing: 54 dB
- Noise level spinning: 73 dB

Features:
- airCondensation Technology: no water consumption during drying
- self-Cleaning condenser
- autoDry
- varioSoft drum system
- Circulatory sensor for optimal water use
- Non stop wash and dry programme - 4.0 kg
- Aquatronic wash system
- waterPerfect Plus
- Imbalanced load sensor
- autoLoad
- Foam detection sensor
- Time dealy: continuous 24 hrs
- Eltek hose
- Child lock
- Multiple water protection

Special Programmes:
- Special programmes washing: Intensive + Quick, Mix, Outdoor, Super15', Wool, Delicate/Silk
- Special programme drying: Fluff-removal cycle

Design:
- Fully electronic control dial with LED display and touchControl buttons
- Buttons: Start/Pause with reload function, Start delay, Spin speed reduction, Temperature selection, Options, Modify, Fine-tuning of drying
- 32 cm porthole, silver-black grey with 165° opening door
- Porthole with glass cover
- Door hinging left

Dimensions (H x W x D):
- 84.2cm x 60.0cm x 59.0cm
- Can be built-under

- *Energy & water consumptions of the standard cotton 60 ºC cotton programme with 1 wash cycle at full load and 2 drying cycles.
- Important information for installation (applicable for all models): Water pressure of 1 to 10 bar and 15 A plug point are pre-requisite.

Washer Dryer | 60cm

WD12D420EU*
60cm Washer Dryer I 5 kg Washing I 2.5 kg Drying

Performance:
- Capacity: 5.0 kg washing / 2.5 kg drying
- Spin speed: 1200 to 400 rpm
- Consumption* Wash & Dry: Electricity 4.56 kWh & Water 106 l
- Noise level washing: 62 dB
- Noise level spinning: 75 dB

Features:
- autoLoad
- Imbalanced load sensor
- Reload function
- autoDry
- Non stop wash and dry programme - 2.5 kg
- Aquatronic wash system
- waterPerfect
- Foam detection sensor
- Time dealy: continous 1-24hrs
- Eltek hose
- Child lock
- Multiple water protection

Special Programmes:
- Special programmes washing: Super 15', Mix, Outdoor, Shirts, Wool, Delicate/Silk
- Special programme drying: Low heat drying

Design:
- Fully electronic control dial with LED display and touchControl buttons
- Buttons: Start/Pause, Extra rinse, Stains, Prewash
- 30 cm porthole with 180° opening door
- Porthole with glass cover
- Door hinging left

Dimensions (H x W x D):
- 86.0cm x 60.0cm x 56.0cm
- Can be built-under

*Available until stocks last.

- *Energy & water consumptions of the standard cotton 60 ºC cotton programme with 1 wash cycle at full load and 2 drying cycles.
- Important information for installation (applicable for all models): Water pressure of 1 to 10 bar and 15 A plug point are pre-requisite.

The magnetic heart of the Master Class iQdrive.

Durable, reliable, innovative: the new iQDrive motor.

Your Siemens washing machine is now powered by the revolutionary iQdrive motor which is quieter, faster and more efficient. The iQdrive motor uses a friction-less and wear-free magnetic motor which improves energy performance, making our appliances A+++ rated, up to 33% more energy efficient than A rated appliances*.

*According to EU energy label.

Siemens innovation for complete laundry care.

A world exclusive: The varioSoft drum system.

Inspired by morning dew drops, Siemens draws on the little wonders of nature in creating our varioSoft drum. The varioSoft drum is a unique innovation with a rain drop pattern that gives you a quality wash while treating your fabrics gently.

The asymmetric paddles and rain drop pattern on the drum have a steeper and flatter edge. The steeper edges give tough cleaning action while the flatter edges provide gentle scrubbing. Based on the programme selected, drum rotation direction changes, giving the most appropriate cleaning and treatment to your laundry.

Save time or save energy - varioPerfect lets you choose, for laundry that's always perfectly clean.

varioPerfect. You're in control.

Whether it is energy or speed, obtain greater flexibility with varioPerfect. The ecoPerfect option, saves you up to 30%* of energy. With the speedPerfect option, your laundry time will be reduced by up to 60%**. Enjoy one of the most impressive functions of our machine that gives you more choice and flexibility without compromising on the wash quality.

*Compared to Cottons 40°C standard programme with speedPerfect option.
**Compared to Cottons 40°C standard programme with ecoPerfect option.

speedPerfect

ecoPerfect

Save time with speedPerfect.

Get outstandingly clean results for your wash loads, of up to 5kg, by reducing your programme time up to 60% by pressing speedPerfect along with your selected wash programme. So if you've been busy and haven't had time to do the piled up load of laundry for a while or you're simply in a hurry to get it finished, speedPerfect is the perfect solution. It is great news for those multiple load laundry days.

*compared to Cottons 40°C standard programme with ecoPerfect option

Save energy with ecoPerfect.

Get perfectly clean laundry and yet use as much as up to 30% less energy in the process by simply selecting your wash programme and pressing the ecoPerfect option button. The machine heats up much slower and thus uses less energy. Now that's great news for the environment.

*Compared to Cottons 40°C standard programme with speedPerfect option

Washing machines from Siemens.

For stubborn dirt: soaking/prewash:

Stubborn dirt is softened in the soaking or pre-wash cycle and optimally pre-treated for perfect cleaning in the main wash cycle.

Energy & water efficiency*:

Year on year, we have beaten our own records. In 15 years, our innovations have reduced our energy consumption by up to 40% and water consumption by up to 41%. For an appliance used so frequently in Indian households, our energy efficient products will convert into significant energy savings for you. For our superstars with A+++ ratings, check out our 8kg machines.

*Per kg of laundry in the standard 60℃ cotton programme
(acc. to EU Energy Label) for comparable Siemens washing machines.

Stable and ultra-quiet: the unique anti-vibration design:

The new Siemens washing machines are among the quietest in the world. Even at the highest spin-speeds, these new washing machines with their patented anti-vibration design sidewalls allow you to do your laundry at night without disturbing anyone thanks to high precision sensors, the automatic stabilization system and the smooth running iQdrive.

autoLoad:

Save water and electricity with our precise autoLoad sensor. With every programme chosen, our machine senses the load in the drum and adjusts the programme time and water level to the detected load automatically.

Imbalance load sensor:

For the perfect spin dry results, we introduce our Imbalance load sensor. This senses imbalance in the drum during the spin cycle and spins in the reverse direction to redistribute the laundry. Maximum spin speed is changed, if required. All of your laundry is now tangle free and with lesser wrinkles.

Foam detection sensor:

Now get the ideal rinse for your laundry with the Siemens Foam detection sensor. If there is too much of foam in your machine due to overdosing of detergent, it leads to detergent residue on your clothes and in your machine. When excess foam is sensed, the machine adjusts the programme sequence (through drum movements or additional rinse cycles) until the excess detergent has been removed.

Flow control sensor:

Our intelligent Flow control sensor prevents malfunctions in the machine due to high water pressure. The water supply hose of our machines are equipped with a high water resistance of up to 7 times than the normal water pressure. When faced with high water pressure, the machine regulates the amount of water that flows into the machine

Tough on stains, gentle on your washing: the world's first stain removal system

Our autoStain removal system empowers you to customize your wash programme to your specific stain. This allows you to select 16 specific stains like strawberry, tea, tomato, soiled socks, orange, cosmetics, butter/oil, sweat, red wine, egg, baby food, dirt/sand, coffee, chocolate, blood and grass. Our machine uses an intelligent combination of mechanics, temperature and time to apply the necessary treatment that leaves your clothes spotless without any additional chemicals.

Washing Machine | 60cm

WM14S790GC

60cm Washing Machine I IQ Drive motor I varioPerfect I autoStain Removal System I 8 kg Washing

Performance:
- Capacity: 8.0 kg
- Spin speed: 1400 to 400 rpm
- Energy efficiency: A+++
- Consumption* :
  Energy 1.03 kWh & Water 56 l
- Noise level washing: 49 dB
- Noise level spinning: 71 dB

Features
- iQdrive motor
- stainRemoval system
- varioPerfect
- varioSoft drum
- Anti-Vibration sidewalls
- Dosage indicator
- autoLoad
- aquaStop
- Reload function
- Aquatronic wash system
- Foam detection sensor
- Imbalanced load sensor
- Time dealy: continous 1-24hrs
- Child lock

Special Programmes:
- Special programmes: Dark wash, Curtains, Sensitive plus, Shirts/Business, Outdoor + impreganation, Super15', Wool handwash, Mix, Delicates/Silk

Design:
- Fully electronic control dial with LED display and touchControl buttons
- Buttons: Start/Pause with reload function, Spin speed reduction, Temperature Selection, Modify Options
- Magnetic porthole lock for immediate doorway at end of programme
- 32 cm porthole, Alu-Look, white with 165° opening door
- Noise insulation: bottom cover

Dimensions (H x W x D):
- 84.2cm x 60.0cm x 59.0cm
- Can be built-under

- *Energy & water consumption of the standard 60 °C cotton programme. Actual consumption values will depend on how the appliance is used.
- Important information for installation (applicable for all models): Water pressure of 1 to 10 bar and 15 A plug point are pre-requisite

Washing Machine | 60cm

WM12S460IN

60cm Washing Machine I iQ Drive I varioPerfect I 8 kg Washing

Performance:
- Capacity: 8.0 kg
- Spin speed: 1200 to 400 rpm
- Energy efficiency: A+++
- Consumption* Wash & Dry: Energy 0.94 kWh & Water 63 l
- Noise level washing: 50 dB
- Noise level spinning: 67 dB

Features:
- iQdrive motor
- varioPerfect
- varioSoft drum
- Anti-Vibration sidewalla
- Reload function
- autoLoad
- Aquatronic wash system
- Foam detection sensor
- Imbalanced load sensor
- Time dealy: continous 1-24hrs
- Child lock

Special Programme:
- Special programmes: Kidswear, Cottons Power 60, Mix, Delicates/Silk, Wool handwash, Hygiene, Shirts, Jeans, Curtains, Super quick 15'/30', Drum clean,

Design:
- Fully electronic control dial with LED display and touchControl buttons
- Buttons: Start/Reload, Spin speed selection, Temperature selection, Time delay, Load Adjust, Menu
- 32 cm porthole, silver-black grey with 180° opening door
- Noise insulation: bottom cover

Dimensions (H x W x D):
- 85.0cm x 60.0cm x 59.0cm
- Can be built under

- *Energy & water consumption of the standard 60 °C cotton programme. Actual consumption values will depend on how the appliance is used.
- Important information for installation (applicable for all models): Water pressure of 1 to 10 bar and 15 A plug point are pre-requisite

Our cutting-edge iQ500 tumble dryer is steam powered.

Full steam against creases: the blueSteam dryer.

The new blueSteam condenser dryer from Siemens is an expert at drying your laundry quickly and gently. It also removes creases and even refreshes your 'dry clean only' business, evening and casual clothes. Wet or dry, the Siemens blueSteam dryer with innovative activeSteam technology senses the clothes level of dampness/dryness automatically injects the appropriate amount of steam and actively removes creases and refreshes with steam - all at the touch of a button and without any chemicals.

Steams away creases: the Steam drying cycle

Thanks to the innovative activeSteam technology, the new blueSteam dryer offers two steam cycles for drying and smoothing out creases with steam: 'Minimum Iron Shirts' and 'Minimum Iron Daily'. It's ideal for all your large cotton items such as bed linen, or for shirts and blouses that are difficult to iron.

Steams away unpleasant odours: the Steam Refresh cycle.

To go further than simply drying your clothes, experience the activeSteam technology. Choose between 2 special programmes that dry, dewrinkle deodorise and refresh your laundry.

More than any other garments, your 'dry clean only' business suits, dresses, blazers and trousers need to appear freshly laundered everyday, at the same time these clothing are more difficult to care for. Whether for business or leisure wear, the activeSteam dryer has an innovative Steam Refresh cycle to simplify the day-to-day care of your clothing. Select the appropriate refresh cycle and your clothes are refreshed, quickly and even more thoroughly than several hours of airing. And if a suit has picked up a small stain from a business lunch, simply wash or brush it out and then finish up with the refresh cycle.

duoTronic moisture sensor:

The duoTronic moisture sensor makes choosing the right drying programme easy and efficient. duoTronic continuously senses the humidity in the dryer and stops the drying process when your clothes are perfectly dry. It also selects the optimum temperature and the drying cycle time for your clothes, taking into account the mix of textiles in your load.



softDrying system

In order to give perfect treatment and careful attention to your textiles, our dryers come equipped with a drum system with curved paddles, a large drum and a smooth door interior. The curved paddles lift the clothes and move them gently around the drum, allowing them to dry more efficiently. Due to the drum structure, a cushion of air forms between the clothes and drum walls, reducing frictional impact on the clothes and protecting the fibers on the clothes.

XXL Drum size:

Clothes that are not well spread out or fully exposed to heat naturally take a longer time to dry. That is why a Siemens dryer comes with an XXL drum size of 112 litres, twice that of our washing machine drums. As greater surface areas of your clothes are exposed to the hot air, your clothes dry faster and more efficiently.

Condenser Dryer | 60cm

WT46S515BY

60cm Condenser Dryer I Steam Function I duoTronic Moisture Sensor I 8 kg Drying

Performance:
- Capacity: 8.0 kg
- Dryer type: Condenser with steam function
- Consumption*:
  Energy 1400 rpm: 3.74 kWh (105 mins.)
  1000 rpm: 4.49 kWh (122 mins.)
- Noise level drying: 63 dB

Features:
- duoTronic: moisture sensor
- activeSteam Technology
- softDrying system
- AntiVibration sidwalls
- Less ironing
- Drum interior light
- Anti crease cycle 120 mins.
- Child lock
- Program end indication
- Multiple water protection

Special Programme:
- Special programme: With steam to iron: cotton, Synthetics, with steam to refresh: Business, Casual, Outdoor, Dessous, Woolen finish, Cottons/Easy care - Cupboard dry extra, Cupboard dry, Iron dry, Woolen finish

Design:
- Fully electronic control dial with LCD Display with touchControl buttons
- Buttons: Start/Pause, Low heat, Less ironing, Menu, Options Select
- Glass door with frame
- Door hinge: Right-hand
- Noise insulation

Dimensions (H x W x D):
- 84.2cm x 59.8cm x 62.6cm
- Can be built-under



• Energy consumption of the cottons cupboard dry programme.
• Important information for installation (applicable for all models): 15 A plug point needed

Condenser Dryer | 60cm

WT46B201IN

60cm Condenser Dryer I duoTronic Moisture Sensor I 8 kg Drying

Performance:
- Capacity: 8.0 kg
- Dryer type: Condenser
- Consumption*:
  Energy 1400 rpm: 3.97 kWh (117 mins.)
  1000 rpm: 4.63 kWh (137 mins.)
- Noise level drying: 65 dB

Features:
- duoTronic: moisture sensor
- Wool drying basket
- Anti-Vibration sidewalls
- ActiveAir Technology
- Reload function
- Drum interior light
- Anti crease cycle 60 mins.
- Air Flow Drying System
- Child lock
- Program end indication

Special Programme:
- Special programmes: Mix, Wool drying in basket, Outdoor, Dry shoes, Lingerie, Pillow, Jeans, Rapid 40', Shirts/Blouses, Towels, Synthetic blankets

Design:
- Fully electronic control dial with LED display
- Buttons: Start/Pause, Low Heat, Buzzer, Less Ironing, Programme length, Fine-tuning of drying aim, 24 h end time delay
- Glass door with frame silver-black grey

Dimensions (H x W x D):
- 84.2cm x 59.7cm x 63.6cm
- Can be built under

• *Energy consumption of the cottons cupboard dry programme.
• Important information for installation (applicable for all models): 15 A plug point needed

Accessories - Laundry

Accessory No.	Accessory for model no.	Description
WX975600	WD14H420EU WM14S790GC WK14D320EU	Floor securing component
WZ10130	WD14H420EU WM14S790GC WK14D320EU	Extension for cold water inlet / AquaStop
WZ20310	WT46S515BY	Stacking Kit
WZ20460	WD14H420EU	Pedestal
WZ20470	WK14D320EU	Height adjustment grid

Notes

Product installation guide

www.siemens-home.com/in

Siemens. The future moving in.

Gas Hob

ER926SB70E
90cm Ceramic Gas Hob | Black



* Minimum distance from the hob cut-out to the wall
** Position of the gas connection in the cut-out

All measurements and dimensions in mm

EC945RB91E
90cm Stainless Steel Gas Hob



* Minimum clearance from the cooktop cutout to the wall
** Location of gas connection (in cutout)

All measurements and dimensions in mm

EC945TB91E
90cm Stainless Steel Gas Hob



* Minimum distance from the hob cut-out to the wall
** Position of the gas connection in the cut-out

All measurements and dimensions in mm

EP718QB21E
70cm Glass Gas Hob | Black



* Minimum distance from the hob cut-out to the wall
** Position of gas connection in the cut-out

All measurements and dimensions in mm

Gas Hob

EP618HB21E
60cm Glass Gas Hob



* Minimum distance from the hob cut-out to the wall
** Position of gas connection in the cut-out

All measurements and dimensions in mm

EC845IB90E
75cm Stainless Steel Gas Hob



* Minimum distance from the hob cut-out to the wall
** Position of gas connection in the cut-out

All measurements and dimensions in mm

EO616HB2TI
60cm Glass Gas Hob | Black



* Minimum distance from the hob cut-out to the wall
** Position of the gas connection in the cut-out

All measurements and dimensions in mm

Induction Hob

EH885DC11E
80cm Induction Hob





① Ventilation gap must be present.



① Ventilation gap must be present.



* Minimum distance from the hob cut-out to the wall
** Maximum recessed depth
*** Min. 30 with oven fitted underneath

Measurements in mm

All measurements and dimensions in mm

EH875SC11E
80cm Induction Hob





① Ventilation gap must be present.



* Minimum distance from the hob cut-out to the wall
** Maximum recessed depth

*** With built-under oven min. 30

All measurements and dimensions in mm

Induction Hob

EH651BN17E
60cm FlexInduction Hob





① Ventilation gap must be present.



* Minimum distance from the hob cut-out to the wall
** Maximum installed depth
*** Min. 30 with a fitted oven underneath

All measurements and dimensions in mm

EH645BB17
60cm Induction Hob





① Ventilation gap must be present.



* Minimum distance from the hob cut-out to the wall
** Maximum recessed depth
***With a fitted oven underneath min. 30

All measurements and dimensions in mm

Ceramic Hob

ET645FF17E
60cm Ceramic Hob



* Minimum distance from the hob cut-out to the wall
** Maximum recessed depth

All measurements and dimensions in mm

Domino Teppan Yaki

ET475MY11E
40cm Teppan Yaki



* Minimum distance from the hob cut-out to the wall
** Maximum recessed depth

All measurements and dimensions in mm

Domino Deep Fryer

ET375GA11E
30cm Deep Fryer



* Minimum distance from the hob cut-out to the wall



When installing two Domino units right next to a hob, two assembly kits (HZ394301) are required.



When installing a Domino unit right next to a hob, an assembly kit (HZ394301) is required.



When installing two or more Domino units side-by-side, one or more assembly kits are required (2 units = 1 assembly kit, 3 units = 2 assembly kits, etc).

All measurements and dimensions in mm



When installing two or more Domino units side-by-side, one or more assembly kits are required (2 units = 1 assembly kit, 3 units = 2 assembly kits, etc).



* Dependent on the cut-out depth

Picture for the table Domino combination possibilities with corresponding devices and cutout dimensions



If two or more elements are installed right next to one another, one or several installation kits are required (2 elements 1 installation kit, 3 elements 2 installation kits, etc.).

Cutout dimension (X) depending on the combination see table:

All measurements and dimensions in mm

Barbecue Grill

ET375GU11E
30cm Barbecue Grill



* Minimum distance from the hob cut-out to the wall



When installing two Domino units right next to a hob, two assembly kits (HZ394301) are required.



When installing a Domino unit right next to a hob, an assembly kit (HZ394301) is required.

All measurements and dimensions in mm

Domino Flexinduction Hob

EH375MV17E
30cm Flexinduction Hob



* Minimum distance from the hob cut-out to the wall
** Maximum installed depth



L	X
602	1174
812	1384
912	1484

When installing two Domino units right next to a hob, two assembly kits (HZ394301) are required.



L	X
302	874
392	964

When installing two or more Domino units side-by-side, one or more assembly kits are required (2 units = 1 assembly kit, 3 units = 2 assembly kits, etc).



L	X
302	572
392	662

When installing two or more Domino units side-by-side, one or more assembly kits are required (2 units = 1 assembly kit, 3 units = 2 assembly kits, etc).

All measurements and dimensions in mm





① Ventilation gap must be present.

Assembly kit (HZ394301) for Domino



* Dependent on the cut-out depth

All measurements and dimensions in mm

Domino Induction Hob

EH375ME11E
30cm Induction Hob



* Minimum distance from the hob cut-out to the wall
** Maximum installed depth





① Ventilation gap must be present.



① Ventilation gap must be present

All measurements and dimensions in mm

Domino Cutout Dimension

Domino combination possibilities with corresponding device and cutout dimensions

Width type:	30	40	60	70	80	90
Device width:	302	392	602	710	812	912

	A	B	C	D	L	X
2x30	302	302	-	-	604	**572**
1x30, 1x40	302	392	-	-	694	**662**
1x30, 1x60	302	602	-	-	904	**872**
1x30, 1x70	302	710	-	-	1012	**980**
1x30, 1x80	302	812	-	-	1114	**1082**
1x30, 1x90	302	912	-	-	1214	**1182**
2x40	392	392	-	-	784	**752**
1x40, 1x60	392	602	-	-	994	**962**
1x40, 1x70	392	710	-	-	1102	**1070**
1x40, 1x80	392	812	-	-	1204	**1172**
1x40, 1x90	392	912	-	-	1304	**1272**
3x30	302	302	302	-	906	**874**
2x30, 1x40	302	302	392	-	996	**964**
2x30, 1x60	302	302	602	-	1206	**1174**
2x30, 1x70	302	302	710	-	1314	**1282**
2x30, 1x80	302	302	812	-	1416	**1384**
2x30, 1x90	302	302	912	-	1516	**1484**
1x30, 2x40	302	392	392	-	1086	**1054**
1x30, 1x40, 1x60	302	392	602	-	1296	**1264**
1x30, 1x40, 1x70	302	392	710	-	1404	**1372**
1x30, 1x40, 1x80	302	392	812	-	1506	**1474**
1x30, 1x40, 1x90	302	392	912	-	1606	**1574**
3x40	392	392	392	-	1176	**1144**
2x40, 1x60	392	392	602	-	1386	**1354**
4x30	302	302	302	302	1208	**1176**
3x30, 1x40	302	302	302	392	1298	**1266**
2x30, 2x40	302	302	392	392	1388	**1356**
1x30, 3x40	302	392	392	392	1478	**1446**

Domino Ceramic Hob

ET375MF11E
30cm Ceramic Hob



* Minimum distance from the hob cut-out to the wall
** Maximum recessed depth



When installing two Domino units right next to a hob, two assembly kits (HZ394301) are required.



When installing a Domino unit right next to a hob, an assembly kit (HZ394301) is required.

All measurements and dimensions in mm



When installing two or more Domino units side-by-side, one or more assembly kits are required (2 units = 1 assembly kit, 3 units = 2 assembly kits, etc).

Assembly kit (HZ394301) for Domino



* Dependent on the cut-out depth

Picture for the table Domino combination possibilities with corresponding devices and cutout dimensions



If two or more elements are installed right next to one another, one or several installation kits are required (2 elements 1 installation kit, 3 elements 2 installation kits, etc.).

Cutout dimension (X) depending on the combination see table:

All measurements and dimensions in mm

Domino Gas Hob

ER326AB70E
30cm Gas Hob



* Minimum distance from the hob cut-out to the wall
** Position of the gas connection in the cut-out

All measurements and dimensions in mm

ER326BB70E
30cm Gas Hob



* Minimum distance from the hob cut-out to the wall
** Position of the gas connection in the cut-out

All measurements and dimensions in mm

Island Hood

LD97AA670B
90cm Island Hood



* 650 mm depth only in combination with slim hobs.
** min. 700 mm for hobs with 500 mm cut-out depth.





All measurements and dimensions in mm

Island Hood

LF21BA542
120cm Island Hood







All measurements and dimensions in mm

Island Hood

LF98GA542
90cm Island Hood







All measurements and dimensions in mm

Ceiling Hood

LF959RA50
90cm Ceiling Hood





All measurements and dimensions in mm

LF959RB50
90cm Ceiling Hood





All measurements and dimensions in mm

Island Hood

LF98BE542
90cm Island Hood







All measurements and dimensions in mm

Wall Mounted Hood

LC257BB40
120cm Wall Mounted Hood









* From upper edge
of pan support



* From upper edge of pan support

All measurements and dimensions in mm

Wall Mounted Hood

LC91BD552
90cm Wall Mounted Hood



(1) Exhaust air
(2) Circulated air
(3) Air outlet - install with
vent at bottom for exhaust air





* from upper edge
of pan support



*from upper edge
of pan support

All measurements and dimensions in mm

Wall Mounted Hood

LC98WA542
90cm Wall Mounted Hood



(1) Exhaust air
(2) Circulated
(3) Air outlet - For exhaust air, fit
with the slots facing downwards





* from upper edge
of pan support



* from upper edge
of pan support

All measurements and dimensions in mm

Wall Mounted Hood

LC91BB542
90cm Wall Mounted Hood



(1) Exhaust air
(2) Circulated air
(3) Air outlet - install with
vent at bottom for exhaust air





* from upper edge
of pan support



* from upper edge
of pan support

All measurements and dimensions in mm

Wall Mounted Hood

LC91KA542

90cm Wall Mounted Hood







(1) Exhaust air
(2) Circulated air
(3) Air outlet - Fit the exhaust air slot facing downwards



If a back panel is used, the design of the appliance must be considered.



* from upper edge of pan support



* from upper edge of pan support

All measurements and dimensions in mm

Wall Mounted Hood

LC98BD542

90cm Wall Mounted Hood



(1) Exhaust air
(2) Circulated air
(3) Air outlet - install with vent at bottom for exhaust air





* from upper edge of pan support



* from upper edge of pan support

All measurements and dimensions in mm

Wall Mounted Hood

LC97WA532I

90cm Wall Mounted Hood



(1) Exhaust air
(2) Circulated
(3) Air outlet - For exhaust air, fit with the slots facing downwards





from upper edge of pan support



* from upper edge of pan support

All measurements and dimensions in mm

Wall Mounted Hood

LC98BH542

90cm Wall Mounted Hood



(1) Exhaust air
(2) Circulated air
(3) Air outlet - install with vent at bottom for exhaust air





* from upper edge of pan support



* from upper edge of pan support

All measurements and dimensions in mm

Wall Mounted Hood

LC97GC542
90cm Wall Mounted Hood



(1) Exhaust air
(2) Circulated air
(3) Air outlet - slot for exhaust air to be mounted facing down



If a back panel is used, the design of the appliance must be considered.





All measurements and dimensions in mm

Wall Mounted Hood

LE44952IN
90cm Wall Mounted Hood



(1) Exhaust air
(2) Circulated air
(3) Air outlet - install with vent at the bottom for exhaust air



All measurements and dimensions in mm

Wall Mounted Hood

LE52950IN
90cm Wall Mounted Hood



(1) Exhaust air
(2) Circulated air
(3) Air outlet-install with vent at the bottom for exhaust air



All measurements and dimensions in mm

Wall Mounted Hood

LC35S955IN
90cm Wall Mounted Hood





All measurements and dimensions in mm

Wall Mounted Hood

LC68KB540B
60cm Wall Mounted Hood





(1) Exhaust air
(2) Circulated air
(3) Air outlet - Fit the exhaust air slot facing downwards



If a back panel is used, the design of the appliance must be considered.



* from upper edge of pan support



* from upper edge of pan support

All measurements and dimensions in mm

Wall Mounted Hood

LC68BF542
60cm Wall Mounted Hood



(1) Exhaust air
(2) Circulated air
(3) Air outlet - install with vent at bottom for exhaust air





* from upper edge of pan support



* from upper edge of pan support

All measurements and dimensions in mm

Telescopic Hood

LI48932
90cm Telescopic Hood



Built-under hood in 90cm wall unit

Assembly kit is needed when assemblying the 90cm built-under hood in a 90cm wall unit







All measurements and dimensions in mm

Telescopic Hood

LI23031
60cm Telescopic Hood







All measurements and dimensions in mm

Oven

HB933R51
90cm Single Oven



All measurements and dimensions in mm

Oven

HB73GU545
60cm Single Oven



* 20 mm for metal fascias



* 20 mm for metal fascias



* 20 mm for metal fascias

All measurements and dimensions in mm

Oven

HB58GB570J
60cm Single Oven



* 20 mm for metal fascias



* 20 mm for metal fascias



* 20 mm for metal fascias

All measurements and dimensions in mm

Oven

HB33GB550
60cm Single Oven



* 20 mm for metal fascias



* 20 mm for metal fascias



* 20 mm for metal fascias

All measurements and dimensions in mm

Oven

HB23AB523
60cm Single Oven



* 20 mm for metal fascias



* 20 mm for metal fascias

All measurements and dimensions in mm

HB21AB520E
60cm Single Oven



* 20 mm for metal fascias

All measurements and dimensions in mm

Microwave Oven

HF25G5L2IN
60cm Microwave Oven with Grill

Microwave in a wall-hanging cupboard



Microwave in a tall cupboard



Microwave front panel overhang

Overhang at top:
recess 362 = 6 mm
recess 365** = 3** mm



Overhang at bottom: = 14 mm

Microwave front panel overhang, built into a tall cupboard



Microwave, corner installation



All measurements and dimensions in mm

Microwave Oven

HF25M5L2IN
60cm Microwave Oven

Microwave in a wall-hanging cupboard



Microwave in a tall cupboard



Microwave front panel overhang

Overhang at top:
recess 362 = 6 mm
recess 365** = 3** mm



Overhang at bottom: = 14 mm

Microwave front panel overhang, built into a tall cupboard



Microwave, corner installation



All measurements and dimensions in mm

Microwave Oven

HF24G561
51cm Microwave Oven with Grill





All measurements and dimensions in mm

Combination Steam Oven

HB36D575

60cm Combination Steam Oven



All measurements and dimensions in mm

Combination Microwave Oven

HB86K575IN

60cm Combination Microwave Oven



All measurements and dimensions in mm

Warmer Drawer

HW290562

60cm Warmer Drawer





Ovens with a height of 595 mm can be installed above a warming drawer in the HW 290 range. An intermediate floor is not required.

All measurements and dimensions in mm

Warmer Drawer

HW140562

60cm Warmer Drawer





Compact appliances with a height of 454 mm can be installed above a warming drawer in the HW 140 range. An intermediate floor is not required.

All measurements and dimensions in mm

Espresso Maker

TK76K573

60cm Fully Automatic Espresso Maker



An installation height >950 mm makes it difficult to fill the containers for beans and water which are fitted on the top.



The fully automatic espresso machine can be fitted above a warming drawer. An inter mediate floor is not required.



An installation height >950 mm makes it difficult to fill the containers for beans and water which are fitted on the top.

All measurements and dimensions in mm

Fridge Freezer | aCool

CI36BP01

Built-in Fridge Freezer | French Door | Gross capacity: 560 l







All measurements and dimensions in mm

Fridge | aCool

CI30RP01

Built-in Fridge | Gross capacity: 496 l







All measurements and dimensions in mm

Fridge | aCool

CI24RP01

Built-in Fridge | Gross capacity:381 l







All measurements and dimensions in mm

Fridge | aCool

FI24NP31

Built-in Freezer | Gross capacity: 340 l







All measurements and dimensions in mm

Fridge | aCool

FI24DP32

Built-in Fridge | Gross capacity: 320 l







All measurements and dimensions in mm

Fridge Freezer | aCool

FI24DP02

Built-in Freezer | Gross capacity: 320 l







All measurements and dimensions in mm

Wine Cooler | aCool

CI24WP02

Built-in Wine Storage Cabinet | Gross capacity: 422 l







All measurements and dimensions in mm

Fridge Freezer | Cool Concept

KI34NP60

Built-in Fridge Freezer | Bottom freezer |
Gross capacity: 287 l







All measurements and dimensions in mm

Fridge Freezer | Cool Concept

KI28NP60

Built-in Fridge Freezer | Bottom Freezer |
Gross capacity: 250 l





All measurements and dimensions in mm

Fridge | Static

KI85NAF30

Built-in/Under Fridge | Gross capacity: 265 l



The specified unit door dimensions are valid for a door gap of 4 mm.





All measurements and dimensions in mm

Fridge | Static

KI87SAF30

Built-in/Under Fridge | Gross capacity: 154 l



The specified unit door dimensions are valid for a door gap of 4 mm.





All measurements and dimensions in mm

Fridge | Static

KI82LAF30
Built-in/Under Fridge | Gross capacity: 289 l







All measurements and dimensions in mm

Fridge Freezer | Static

KI28DA20IE
Built-in Fridge Freezer | Gross capacity: 259 l





All measurements and dimensions in mm

KI18LV52
Built-in/under Fridge Freezer | Gross capacity: 137 l



All measurements and dimensions in mm

Fridge | Static

KI81RAF30
Built-in/Under Fridge | Gross capacity: 289 l







All measurements and dimensions in mm

Fridge | Static

KI18RV52
Built-in/Under Fridge | Gross capacity: 154 l



All measurements and dimensions in mm

KU15RA50NE
Built-in/Under Freezer | Gross capacity: 114 l



* Variable base/
substructure height

Space for electrical connection next to the appliance on the left or right-hand side. Ventilation in the base.

All measurements and dimensions in mm

Wine Cooler | Static

KF18WA40IE

Built-in Wine Cooler vinoThek |
Gross capacity: 153 l



Freestanding Fridge Freezer

KA62DS91

Freestanding Side-by-Side Fridge Freezer |
Gross capacity: 657 l





Chilling drawers can be pulled out completely at a door opening angle of 160°



x_1 (unit depth)	a	b
600	24	24
650	24	100
700	24	175
x_2 (wall)	90	464

Freestanding Fridge Freezer

KA62DV71

Freestanding Side-by-Side Fridge Freezer |
Gross capacity: 655 l





Chilling drawers can be pulled out completely at a door opening angle of 160°



x_1 (unit depth)	a	b
600	24	24
650	24	100
700	24	175
x_2 (wall)	90	464

Freestanding Fridge Freezer

KA56NV40NE

Freestanding Side-by-Side Fridge Freezer |
Gross capacity: 618 l



All measurements and dimensions in mm

All measurements and dimensions in mm

All measurements and dimensions in mm

All measurements and dimensions in mm

Dishwasher

SN55E505EU
60cm Integrated Dishwasher





( ) values with extension kit

All measurements and dimensions in mm

Dishwasher

SN56V597EU
60cm Integrated Stainless Steel SpeedMatic Dishwasher





( ) values with extension kit

All measurements and dimensions in mm

Dishwasher

SN66V092EU
60cm Fully Integerated SpeedMatic Dishwasher





( ) values with extension kit

All measurements and dimensions in mm

Dishwasher

SN56N554EU
60cm Stainless Steel Integrated Dishwasher





( ) values with extension kit

All measurements and dimensions in mm

Dishwasher

SN66N054EU
60cm Fully Integrated Dishwasher





( ) values with extension kit

All measurements and dimensions in mm

Dishwasher

SN65E006EU
60cm Fully Integrated Dishwasher





( ) values with extension kit

All measurements and dimensions in mm

Dishwasher | SpeedMatic

SR65E000EU
45cm Fully Integrated Dishwasher





( ) values with extension kit

All measurements and dimensions in mm

Dishwasher | SpeedMatic

SK76M530EU
60cm Dishwasher









Nominal lengths:

AquaStop:	1.65 m	Extension:	
Drain hose:	2.25 m	AquaStop:	2.20 m
Mains cable:	1.70 m	Drain hose:	2.00 m

All measurements and dimensions in mm

Washer Dryer | Built-in

WK14D320EU

60cm Built-in Washer Dryer l 6kg Washing l 3kg Drying







All measurements and dimensions in mm



Z detail



All measurements and dimensions in mm

Contact Siemens.

Your local Siemens dealer will be pleased to provide more detailed information and advise you on your choice of appliance. However, if you have questions or comments about any of our appliances we would be pleased to hear from you.

Customer care

Be it pre-sales or after sales service, Siemens has been the pioneer of in-house customer care service. Once you own a Siemens appliance, you'll own it for a life-time. So, we are dedicated to making sure you have a smooth experience operating our appliance. Our in-house customer service is geared to solve all your problems and queries, be it before or after purchase. For technical issues, customers can contact us to arrange technician visits for installation or service requests. Besides this, we guarantee the availability of our spare parts for a minimum period 10 years. Simply call service number to purchase the required accessories or spare parts.

Authenticity

Every Siemens appliance is carefully created to the exacting standard that our customers require. There is no compromise, no cutting corners, owing a Siemens appliance brings confidence and style to your home life. We draw on many years of manufacturing experience and feedback with customers to deign machines that meet your needs. Extensive research and testing of every component gives you a level of confidence that will last for many years.

For sales enquiries and service requests call the Siemens toll free number at 1800 209 1850.
(Monday - Saturday: 8am to pm)

www.siemens-home.com/in